

NON-MECHANICAL EQUIPMENT






WE KNOW THE IMPORTANCE OF AVAILABILITY AND QUALITY. WE ARE COMMITTED TO DELIVERING FOR OUR CUSTOMERS EVERY TIME.

At the heart of every safe, efficient project is a reliable support system—and that's exactly what we deliver. Specialising in non-mechanical equipment, including barriers and fencing, road plates and formwork and falsework, we provide robust, tailored solutions for construction, infrastructure, and event projects of all sizes.

Our dedicated team provides a comprehensive service, including:

- Expert site survey
- Detailed quotation
- Seamless installation and dismantling of equipment

With 10 strategically placed depots across the UK, we ensure fast delivery and expert support wherever and whenever you need it. Backed by vast quantities of equipment, we're always ready to keep your project moving.








TEMPORARY BARRIERS AND FENCING

Heras Fencing

A must for security on any site, our traditional Heras fencing panels are supplied with standard rubber footings, making sure it is simple to install. Our fencing can be supplied in any quantity with all relevant ancillaries including pedestrian and vehicle gates.

Code: 230012 Length: 3500mm Height: 2000mm



Hoarding Panel

Code: 230031 Hoarding Panel 2m x 2m



Code:230034 Hoarding Panel Vehicle Gate



Code: 230041 Infill



Code: 230033 Hoarding Panel Pedestrian Gate



Ancillary Fence Items Available

Code: 230016 Code: RSS Code: 230020 Rubber Block Padlock and Chain Support Brace Code: 230018 Code: RSS Code: 230071 Couplers Anti-Tamper Coupler Debris Netting Code: RSS Code: 230019 Code: 230021 Loading Tray Anti-Tamper Spanner Anti-lift Device


Code: 230025

Stillage Frame (Up to 35 panels)

Code: 230227 Reflective Strips

Code: 230060

Acoustic Quilt



HUSHTEC



Code: 230052 Angled Support Brace



Code: 230045 Block Lifter

Code: 230051

Code: 230045

40kg Ballast Block

20kg Ballast Block





TEMPORARY BARRIERS AND FENCING

Vehicle Gate

Allows vehicle access to site when linked with Heras Fencing, Mass Traffic Barriers, Speed Rated Barriers and Plastic Universal Barrier Systems.

Code: 230026 Height: 2043mm Width: 4000mm Weight: 40kg



Gate within Panel

1m pedestrian access gate set within $3.5 \,\mathrm{m} \times 2 \,\mathrm{m}$ Heras Fence Panel.


Code: 230030



Sliding Gate

Space saving 7m sliding gate system for Heras Fencing.

Code: 230228



Pedestrian Gate

The gates can link with standard Heras Fencing as well as the Mass Traffic Barrier, Speed Rated Barrier and Plastic Universal Barrier Systems to allow pedestrian access to site. Site guard fence panels can be fixed to each side using universal clamps.

Code: 230014 Height: 2122mm Width: 1435mm Weight: 17kg



Security Pedestrian Gate

Security digi lock system that allows restricted access with codes provided.

Code: 230043



Defender Fencing

Defender Fence is a no-dig, self-supporting system that is 100mph wind-resistant.

Unlike the traditional mesh fence, Defender Fence is virtually breach-proof and tested to destruction by the Metropolitan Police.

 Code: 230222
 Code: 230220

 Fence panel
 Vehicle Gate

 2.4m x 3m
 2.4m x 5m

Code: 230221 Pedestrian Gate 2.4m x 2.1m



Storm Fencing

High security self-supporting system that can withstand vandalism and is supported through rigid ballast bins.

Code: 230682





TEMPORARY BARRIERS AND FENCING

Crowd Control Barrier

Suitable for low to medium crowd control and are compatible with Pedestrian Site Access Gates.

Code: 230001 Length: 2300mm Height: 1000mm



Police Barrier

A heavy duty steel temporary barrier system, suitable for high crowd control.

Code: 230601



Powder Coated Crowd Control Barrier

These barriers can be powder coated which involves covering with epoxy powder and heated to form a protective layer.

Code: 230008 Red or White Code: 230008 Blue (rail specific)



Pedestrian Block

Compatible with Crowd Control Barriers, these blocks are designed to weigh down the barriers and provide stability.

Code: 230053 15kg Red/Green



Pedestrian Site Access

Available with or without a gate and compatible with Crowd Control Barrier Systems.

Code: 230004 Without Gate Code: 230007 With Gate



Concertina Barrier

Expandable barrier designed to set up secure perimeters in seconds.

Code: 230029 4m Yellow Code: 230028 2m Red and White



11





GROUND PROTECTION AND ACCESS

EuroMats/Pedestrian Walk-Way Mats

An effective man-handleable solution to temporary access and ground protection. These heavy duty polyethylene mats can be used to protect soft ground from pedestrian traffic, vehicles and machinery.

We can also supply connectors, bolts and washers to fix mats together.

Code: 239301 Length: 2400mm Width: 1200mm Weight: approx. 40kg



Road Plates

Steel Road Plates are a simple solution to maintaining pedestrian and vehicle access over open trenches and other excavations.

With lifting holes in each corner and anti-skid protection.

Code: 209505 (non slip) Length: 2400mm Width: 1200mm

Code: 209503 (non slip) Length: 1200mm Width: 1200mm

Code: 209502 (standard)

Length: 2400mm Width: 1200mm

Code: 209500 (standard)

Length: 1200mm Width: 1200mm



LowPro Road Plates

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy.

Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs and more sustainable than steel alternatives.

 Code: 209015
 Code: 209017

 1500 x 500mm
 End Plate

 Code: 209016
 1500 x 500mm

 2300 x 500mm
 Code: 209018

 End Plate
 2300 x 500mm



Pedestrian Path

Low profile surface option for pedestrian walkways, quick and easy to install with non-slip surface.

Code: 209009001 Length: 1050mm Width: 720mm Height: 27mm Weight: 17kg



Grass Mat

Rubber Grass Mats are an excellent solution for preventing grass erosion and absorbing fall impact on grass or concrete surfaces

Code: 209452 1m x 1.5m x 16mm



ı.



GROUND PROTECTION AND ACCESS

SupaHoops Bike Racking

A no-dig option for temporary bicycle parking. Self-supporting and resistant to high wind. Fast and easy to install and recover.



FastRack Bike Racking

Bicycle parking racks that are self-supporting and quick and simple to deploy and recover. Suitable for indoor and outdoor use.



Hussan H-Stop

High security device to protect from vehicle ramming attacks. Quick to install and easily moved to allow emergency vehicles access.



ATG Surface Guard

Offering protection against vehicle attacks and incursions for events and public realm spaces.



RB-50

A moveable, modular system for rapid, flexible and convenient deployment as a temporary vehicle barrier to protect against vehicle attacks or incursions.



ARX Stopper

The ARX Stopper is a PAS68/IWA14, CPNI and SBD accredited temporary HVM system. It can secure an average road width within 10 minutes and offers a high level of pedestrian permeability.



WWW.SUNBELTRENTALS.CO.UK







TRAFFIC MANAGEMENT

Speed Rated Barrier (RB22)

Designed to offer maximum safety, the Speed Rated Barrier is one of the quickest deployable systems on the market with up to 200m per load. On impact, the barrier will bring an errant vehicle to a controlled stop.

Code: 285006 Length: 2000mm Height: 800mm Width: 500mm Weight Empty: 60kg Weight Full: 600kg

Fencing Code: 252668 Hoarding

Code: 230224

Water fill available.



Chapter 8 Barriers

A lightweight barrier providing protection to pedestrians from low-speed traffic and dangerous rail work areas. They are also commonly used to section off road works in low speed traffic areas.

Code: 285009 Height: 1000mm Depth: 50mm Length: 2000mm Weight: 10.5kg

Code: 285007 Blue (Rail Specific) Height: 1000mm Depth: 50mm Length: 2000mm Weight: 10.5kg



Wonderwall™ Barrier

A heavy-duty, enhanced barrier system available in multiple configurations to create a stable barrier that offers greater stability in high winds without the need for extra ballast bags.

Code: 285107 Height: 1000mm Width: 1140mm Depth: 50mm Weight: 21.7kg

Code: 285018 Plastic Extension Code: 285019 Metal Extension



Water Filled Barrier

Water filled barriers are high visibility, plastic safety barriers that provide protection for pedestrians, site workers and stakeholders. Waterfilled barriers provide a robust and reliable safety system that is quick and easy to assemble. Our barriers come in a range of sizes and can be used in conjunction with other items such as pedestrian gates, vehicles gates, hoarding and fencing.

Code: 285100 1m Barrier, Red or White

Code: 285108

2m Red or White

Water fill available.



Height Restrictors/Goalposts

Code: 209350 Code: 209350-1


Goalpost Crossbar

Code: RSS Goalpost Bunting

Code: 285013

1m Mesh Panel

Code: 285014 2m Mesh Panel





TRAFFIC MANAGEMENT

Slot Block Barrier

Each barrier set is 3500mm in length and contains 2 barriers which are designed to fit one standard temporary fencing panel. This robust plastic barrier system is designed to heighten the security around your project area. The unique design allows for temporary fencing panels to be quickly and easily fitted, whilst still conforming to the expected standards of a stable fencing system

Code: 285016 Code: 285015

White Red



Water fill available.

Bull Barriers

The Bull Barrier system comprises of red and white powder coated interlocking steel barrier sections forming an effective traffic barrier solution. Bull Barrier is compliant with T2 W6 crash test standards and is MIRA wind tested to withstand 54mph with a mesh extension fixing.

 Code: 285657
 Code: 285658

 Bull Base White
 Bull Pedestrian Fence

 Code: 285662
 1500 x 600

 Bull Base Red
 Code: 285663

 Code: 285663
 Bull Site Guard Fence

Code: 285659

Bull Terminator

End Unit

Code: 285661

Code: 285660 Bull Angled Unit



Bull Gate Mesh

Kerb Ramp

The kerb ramp provides safe access for wheelchair, pushchair, motorised wheelchair, bicycle and foot traffic up to 250kg. It is commonly used to provide access from kerb to road when the pavement is closed for street works.

Code: 285050 Code: 285037
Pedestrian Vehicle



Cable Ramp

Designed for outdoor use to protect electrical cables and hose lines from damage. For use with pedestrian traffic and low volume vehicular traffic.


Code: 227520 5 Way



Bypass Ramp

An access ramp for when pipeline is diverted above ground. 44t SWL

Code: 285686



ZJ



TRENCH COVER GUIDE

Composite trench covers can be installed in the following scenarios.

- A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.
- In some instances, road plates and trench covers must be bolted for safety, refer to the installation guide for more details.
- Trench covers can be linked together to safely cover any length of excavation.

- Trench covers have a maximum width allowance.
- The LowPro range is HAUC Compliant.
- LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.
- Trench covers must be installed centrally over the trench.

LowPro Trench

Pedestrian board with patented LowPro Edge technology, suitable for the distributed load of a 1.6 tonnes vehicle over a 700mm trench.

Code: 209019Trench Cover 1.1m x 1.1m

1.5m

Code: 209020001 Trench Cover 0.8m x 1.2m







WHAT TYPE OF TRAFFIC WILL CROSS THE TRENCH? **Maximum** Trench **FOOTWAY DRIVEWAY CARRIAGEWAY** Width 400kg 3.5T Vehicle 44T Vehicle 100MM ۵" LowPro 100 LowPro 100 LowPro 15/05 LowPro 12/8 700MM 2FT LowPro 11/11 LowPro 15/10 LowPro 15/05 900MM 3FT LowPro 15/10 LowPro 15/10 LowPro 23/05 1200MM 4FT LowPro 15/10 LowPro 23/05 LowPro 23/05





SITE ESSENTIALS

GRP Trench Bridge

A lightweight bridge with foldable handrails for easy transport and quick assembly.

(Light weight plastic)

Code: 006983



Pedestrian Foot Bridge

Trench Crossing Bridge with Handrails Fitted with certified lifting eyes.

Code: 006026 2m x 1.3m Code: 006027 4m x 1.3m

Code: 006028 6m x 1.3m



Site Stairways System

Stairways offer safe work access for a number of problem situations including civil engineering projects, between floors on RC frame contracts or on motorway and railway embankments.

Available in 3, 6, 9, 12, 15 and 18 step units, ranging from 1.03m – 5.08m in length (approx. 1m length per 3 step increment).

Code: 006591 3 Tread Stairway **Code: 006592**

6 Tread Stairway

Code: 006593 9 Tread Stairway Code: 006594 12 Tread Stairway Code: 006595 15 Tread Stairway Code: 006596 18 Tread Stairway



Signage

We offer multiple standard safety signage in a variety of materials to suit your needs.

From health and safety and warning to compliance and security, we can provide any signs required including bespoke.

The following materials for our signs are available: plastic, correx, foamex, dibond.



Barrier Signage

We can provide bespoke full colour banners to cover your barriers, with finished hems and steel eyelets. Contact our team with your enquiry.



Truck Podiums

5 Step Truck Podium Code: 006984

4 Step Truck Podium
Code: 006985



Fall Protection Airbags

A fall arrest system that can be self-installed in most floor plans.

This H&S approved system is suitable for falls up to 2m. Each bag is 2150 x 750 x 750mm, they easily connect together and each bag inflates in approx. 30 seconds from an electric blower.

Code: 264074 Code: 019350

Blower





SITE ESSENTIALS

3 Man Boot Wash Station

This easy to install unit will effectively clean site boots and footwear, keeping your site buildings clean and safe.

Code: 008083 Lightweight Code: 008405 Heavy Duty



Drum Spill Pallets

Spills and contamination are a huge risk when storing oil and fuel drums, but our bunded drum pallets provide the ideal, safe way to keep these hazardous liquids on-site.

Our spill pallets are constructed from incredibly durable polyethylene, making them corrosion-resistant and suitable for use with a wide range of chemicals. An integral moulded sump holds up to 240 litres of spilled liquid, complemented by a removable plastic mesh deck that is easy to clean and maintain.

Code: 264087 Code: 264086
Two Drum Spill Pallet Four Drum Spill Pallet



SupaSite Ramp

SupaSite Ramp is a versatile heavy-duty ramp for up to 3-tonne machines and vehicles, for use from 100mm to 300mm. Replacing bespoke timber ramps and heavy steel alternatives.

Code: 285667




Edge Protection System

The Edge Protection System has been designed, developed and manufactured in the UK and has a number of unique design features:

- Profiled edges for extra strength
- Integrated toe-boards for in-built safety
- K-Lock active safety lock feature

Dimple 'line up and lock' connection points for quick and easy installation. Sunbelt Rentals' Edge Protection System complies with European conformity standards laid out in BS EN 13374. Incorporates a system of posts and barriers, which can be fitted in a variety of applications including:

- Live edge protection
- Slab edge protection
- Debris guard barrier
- Structural steelwork protection
- Safe site walkway



Gas Cages

A unique, innovative design allows it to fold down in seconds, without removing or detaching any parts.

Benefiting from a fully galvanized heavy-duty construction (to sustain all weather conditions) with no removable parts, the folding gas cage is guaranteed to save you time and space.

Also known as a folding gas compound, this is a secure cage for storing gas cylinders (stores up to 9 × 47kg gas bottles), tools and equipment.

Code: 236001 Code: 236003 Small Gas Cage Large Gas Cage

Code: 236002 Medium Gas Cage





SITE ESSENTIALS

Acrow Props

The original falsework support system is still the most commonly used and economic method of providing temporary support to a variety of structures. Available in sizes 0 to size 4.

Code: 209101 Code: 209104 Size: 3

Size: 1070 - 1820mm Size: 2590 - 3950mm

Code 209102 Code: 209105

Size: 1 Size: 4

Size 1750 - 3120mm Size: 3200 - 4870mm

Code: 209103Size 2

Size: 1980 - 3350mm



Strongboy

Strongboy masonry support 'locks' on to the top of the Acrow Prop and keeps it level for a more stable and secure operation.

Code: 209106







CRANE ATTACHMENTS

Crane Boat Skip

Boat Skips are perfect for general muck and waste removal and enable the crane operator to discharge the load automatically. These are low level for easy loading.

Minimum hire: 2 week

Code: 036124 500 Litre Capacity Code: 036133 1500 Litre Capacity

Code: 036129 Code: 036130
1000 Litre Capacity 2000 Litre Capacity



Crane Column Concrete Skip


A Concrete Column Skip allows for storage of concrete and quick and easy discharging, with the use of an attachable tube to the bottom. To be used for pouring concrete into columns and framework that are difficult to access. Ideal for construction sites. Designed to be laid down on its side to be filled from the concrete truck.

Available in 500L and 1000L options, complete with bale arm and 200mm diameter, 3m hose.

Code: 010230 500 Litre Capacity Code:010245 1000 Litre Capacity

Code: 010241 1000 Litre Capacity

500 Litre Capacity 1000 Litr Code: 010241 Geared



Crane Geared Cone Flow System

The most commonly used skip, the Coneflow Concrete Skip is ideal for big pours or areas where space is not an issue.

Operated by a wheel on the side of the skip so that the machine operator has a good view of the workforce at all times.

This skip is constructed of steel with a reinforced frame making it robust and durable enough for heavy usage.

Coneflow concrete skips are extremely versatile and enable fast and accurate concreting, they can be used in a number of different concrete laying operations such as slabs, formwork cavities, walls, columns and more.

The unique curved shape of the skip allows for better control and easy concrete flow, the angled discharge means that the skip performs well where access is limited. The skip features a laydown facility to make filling easier.

Fitted with lifting handles, the skip can also be lifted by a crane or other lifting equipment.

Code: 010250

1000 Litre Capacity Standard

Code: 010255

1000 Litre Capacity Geared





Tipping Skips

Heavy duty tipping skip can be mounted on fork truck and telehandlers.

Code: 026204 500 Litre Tip Skip

Code: 026210 1200 Litre Tip Skip

Code: 026211 1500 Litre Tip Skip Code: 026208 1200 Litre Autolock Tele Tip Skip

Code: 026214

1200 Litre Autolock Tele Tip Skip with Wheels




Single Leg Drop Chain

Used for lifting materials and equipment by crane.

Code: 034108







GROUNDWORKS

Trench Struts

Available in sizes 0, 1, 2 and 3

 Code: 209107
 Code: 209109

 300mm-480mm
 680mm-1060mm

 Size 0 Strut
 Size 2 Strut

 Code: 209108
 Code: 209110

 450mm-680mm
 1060mm-1670mm

 Size 1 Strut
 Size 3 Strut



Trench Sheets

Available in lengths up to 5m trench sheets are driven into the ground to provide a safer work environment for ground workers. Standard (HD) and Heavy Duty (KKD) sheets available.

Code: 209406

5m Trench Sheet

 Code: 209400
 Code: 209403

 2m Trench Sheet
 3.5m Trench Sheet

 Code: 209401
 Code: 209404

 2.5m Trench Sheet
 4m Trench Sheet

 Code: 209405
 Code: 209405

 3m Trench Sheet
 4.5m Trench Sheet



Driving Cap

Two types of driving cap are available for standard or KKD trench sheets. They greatly reduce damage and assist driving of the sheets through the ground.

Code: 209768

Trench Sheet Driving Cap



Extractors

Our trench sheet extractors are simple to use and make the process of extracting trench sheets as efficient as possible.

Code: 036325

Trench Sheet Extractor



Road Forms Rigid/Flexible

A simple form of shuttering which is normally used for concrete slabs or floors.

Each unit is 3 metres long and can be supplied in various depths from 100 to 300mm to suit the thickness of the slab.

Road Forms can be supplied as flex or standard with 450mm and 600mm stakes and stake extractors also available

 Code: 209201
 3000 x 250mm

 3000 x 100mm Standard
 Standard

 Code: 209210
 Code: 209208

 3000 x 100mm Flex
 3000 x 300mm

 Code: 209203
 Standard

 3000 x 150mm Standard
 Code: 209202

Code: 209212 3000 x 125mm Standard

3000 x 150mm Flex Code: 209204

Code: 209205 3000 x 175mm Standard

 3000 x 200mm
 Code: 209206

 Standard
 3000 x 225mm

 Code: 209214
 Standard

 3000 x 200mm Flex
 Code: 209226

 Code: 209207
 600mm Stake/Pin



Alimats

ALIMATS® is an aluminium load spread solution for cranes and powered access. The interlocking modular mats can be carried and positioned by hand.



39



GROUNDWORKS

Eze Shoring

Eze Shoring is a composite trench lining system comprising of only five different components. It is lightweight and easy to assemble and there are no pins, clips, slings, pumps or hydraulics.

Code: 209780

Key benefits

- 100% non-conductive for maximum safety
- All parts under 25kg for easy handling
- Adapts to various trench sizes with ease
- Tool-free setup no pins, clips or hydraulics
- Compact enough to fit in a transit van





A range of products to provide temporary earth retaining support are available through our supplier partnership, subject to terms and conditions.

Trench Box



Manhole Box



Manhole Shuttering



Drag Box





CALL US ON: 0330 055 3455 WWW.SUNBELTRENTALS.CO.UK

I.1



OUR PRIMARY NON-MECHANICAL EQUIPMENT DEPOTS

NON-MECH CENTRAL DESK: 0330 055 3455 NONMECH@SUNBELTRENTALS.CO.UK

GLASGOW

338 Broomloan Road, Govan G51 2JQ

LIVERPOOL

Dunnings Bridge Road, Bootle, Liverpool L30 6TA

GATESHEAD

Stoneygate Lane, Felling, Gateshead NE10 OLX

BIRMINGHAM

202 Kings Road, Tyseley B11 2AP

NORWICH

Airport Industrial Estate, Anson Road, Norwich NR6 6ED

CARDIFF

Llandough Trading Est, Penarth Rd, Cardiff CF11 8TW 02920 708689

LEATHERHEAD

130 Kingston Road, Leatherhead KT22 7PU

CHESTERFIELD

Sheepbridge Industrial Estate, Carrwood Road, Chesterfield S41 9AS

EXETER

Hill Barton Business Park, Mushroom Road, Clyst St Mary, Exeter EX5 1DR

ROMFORD

King George Close, Romford RM7 7PN

NATIONWIDE COVERAGE



RENTAL EQUIPMENT AND MANAGED SOLUTIONS

Sunbelt Rentals - Providing rental and managed solutions into every market sector.



The widest range of plant including the latest stage v and battery powered



Industrial

On your site to meet the demands where every second counts



Plant Attachments

The sole UK distributor for several of the world's leading attachment manufacturers



Utilities

The UK's largest specialist Utility hire company



Powered Access

The combined height and reach of our equipment can transport you safely over 50,000 metres



Safety & Communications

Knowledgeable and experienced specialists in this field



Lifting

Our solutions have been used on 7/10 of the tallest buildings in the UK



Survey

Industry-leading supplier of land survey and precision measurement technologies



From fuel saving cleaner energy solutions to the latest stage v generators, we have a temporary power solution for every site



Test & Monitoring

Europe's leading test equipment specialists since 1996



Tools

From battery powered hand tools to compressors, compactors and cleaning equipment we offer a wide range of tool hire that's local to you



Non-Mech

Essentials for every site; fencing, barriers, trenching, ground protection, vehicle and pedestrian control solutions





Climate Control

Economical and efficient temperature control and HVAC solutions



We support the Network Rail and Transport for London infrastructure



Accommodation

24/7/365 call out facility covering 20,000 items on fleet



We hold over 10km of mast sections, enough to scale London's Shard building over 32 times



Trakway

Award winning engineered access and ground protection solutions



Formwork & Falsework

We are the exclusive hire supplier of MEVA products in the UK



Traffic Management

24/7 national coverage with operations covered by QEHSS accreditations



Training

Dedicated Health and Safety training to qualify our own people and our



Barriers & Fencing

Crowd control and perimeter security solutions



Lighting

Our state-of-the-art tower lights will keep your worksites safe and secure



Film & TV

From cameras, grip and lighting to digital screens & backlot infrastructure - everything you need for your production



Flooring Solutions

Floor care and maintenance equipment to prepare, clean and maintain any floor. any size, anywhere.

Non-Mech Central Desk: 0330 055 3455 nonmech@sunbeltrentals.co.uk www.sunbeltrentals.co.uk