



NON-MECHANICAL EQUIPMENT



**WE KNOW THE
IMPORTANCE OF
AVAILABILITY AND
QUALITY, AND
WE'RE COMMITTED
TO DELIVERING FOR
OUR CUSTOMERS,
EVERY TIME.**

AT SUNBELT WE'VE ALWAYS OFFERED A RANGE OF NON-MECHANICAL EQUIPMENT, BUT HAVING LISTENED TO OUR CUSTOMERS AND THE DEMANDS OF THE INDUSTRY WE HAVE ADAPTED THE WAY WE STOCK AND DISTRIBUTE OUR NON-MECHANICAL ESSENTIALS BY CREATING A NETWORK OF SPECIALIST DEPOTS, WHO STOCK VAST QUANTITIES AND CAN DELIVER FASTER THAN EVER BEFORE.

FENCING, BARRIERS AND TRAFFIC CONTROL

AT SUNBELT RENTALS UK WE OFFER A HUGE RANGE OF FENCING, BARRIERS AND TRAFFIC CONTROL EQUIPMENT TO HELP KEEP SITES SAFE, DIRECT THE FLOW OF TRAFFIC AND CONTROL PEDESTRIAN ACCESS.

IF YOU CAN'T SEE WHAT YOU NEED HERE OR WOULD LIKE EXPERT ADVICE, PLEASE CONTACT THE TEAM AND THEY'LL BE ABLE TO TALK YOU THROUGH OPTIONS OR SOURCE ADDITIONAL EQUIPMENT FOR YOU.



FENCING, BARRIERS AND TRAFFIC CONTROL



Concrete Delta Bloc Barriers
3 metre Concrete Security Barriers help create temporary roadblocks and can be used for channelling traffic. The barriers can be bolted together allowing energy to disperse through them

Code: 150/900
Height: 800 mm
Width: 600 mm
Length: 3000 mm
Weight: 1690 kg



Concrete Safety Barrier V28
An EN 1317 compliant barrier idea for temporary installation to protect pedestrians and work force from traffic.

Code: 150/900
Height: 800 mm
Width: 450 mm
Length: 3150 mm
Weight: 2500 kg



Plastic Self Weighted Traffic Separator Barrier
The ideal solution for lane demarcation and other similar tasks where a water or ballast supply may be unavailable.

Code: 150/900
Length: 1000 mm
Width: 300 mm
Height: 600 mm
Weight: 25 kg



Universal Road Separator
The Universal Road traffic separator range is designed for situations when storage is at a premium. This water-fill unit is a must for all contractors. The Universal range stacks to minimise transport and storage costs. Available in 1 metre and 2 metre lengths and supplied in white and red (generally installed in alternate colours).

Code: 150/900
Length: 1120 mm
Height: 615 mm
Width: 370 mm
Weight Empty: 8.5 kg
Weight Full: 45 kg
Water required: 36.5 Litre

Code: 150/900
Length: 2140 mm
Height: 800 mm
Width: 520 mm
Weight Empty: 25 kg
Weight Full: 186 kg
Water required: 161 Litre



Marrobar Barrier (RB22)
Designed to offer maximum safety, the Plastic Marrobar Road Barrier is one of the quickest deployable systems on the market and with up to 200 metres per load it offers savings on labour and transport. On impact, the barrier will bring an errant vehicle to a controlled stop.

Code: 150/900
Length: 2000 mm
Height: 800 mm
Width: 500 mm
Weight Empty: 60 kg
Weight Full: 600 kg

BARRIER SYSTEMS

OUR BARRIER SYSTEMS CAN INCREASE SECURITY ON SITE AND HELP CONTROL THE FLOW OF TRAFFIC.

AS WELL AS INCREASING THE SAFETY OF PEDESTRIANS. WE HAVE A WIDE RANGE OF BARRIER SYSTEMS COMPATIBLE WITH DIFFERENT FENCES AND ACCESSORIES SO SPEAK TO OUR TEAM WHO'LL TALK YOU THROUGH OUR RANGE OF OPTIONS AND FIND THE BEST SOLUTION TO SUIT YOUR SITE.



FENCING, BARRIERS AND TRAFFIC CONTROL



Heras Fencing
A must for security on any site, our traditional Heras fencing panels are supplied with standard rubber footings, making sure it is simple to install. Our fencing can be supplied in any quantity with all relevant ancillaries including pedestrian and vehicle gates.

Code: 230012
Length: 3500 mm
Height: 2400 mm


Ancillary Fence Items Available

Code: 230016 Rubber Block	Code: 230025 Stillage Frame (Up to 35 panels)
Code: 230018 Couplars	Code: 230031 Hoarding Panel 2 metre
Code: 230021 Loading Tray	Code: 230060 Acoustic Quilt




Crowd Control Barrier
Suitable for low to medium crowd control and are compatible with Pedestrian Site Access Gates.

Code: 230001
Length: 2000 mm
Height: 1000 mm



Pedestrian Site Access
Available with or without a gate and compatible with Crowd Control Barrier Systems.

Code: 230004
With Gate
Code: 230007
Without Gate



Vehicle Gate
Allows vehicle access to site when linked with Heras Fencing, Mass Traffic Barriers, Plastic MarroBarr and Plastic Universal Barrier Systems.

Code: 230026
Height: 2043 mm
Width: 4000 mm
Weight: 140 kg



Chapter 8 Barriers
A lightweight barrier providing protection to pedestrians from low-speed traffic and dangerous rail work areas. They are also commonly used to section off road works in low speed traffic areas.

Code: 230008
Height: 1000 mm
Depth: 50 mm
Width: 600 mm
Weight: 10.5 kg



Pedestrian Gate
The gates can link with standard Heras Fencing as well as the Mass Traffic Barrier, Plastic MarroBarr and Plastic Universal Barrier Systems to allow pedestrian access to site. Site guard fence panels can be fixed to each side using universal clamps.

Code: 230/013
Height: 2122 mm
Width: 1435 mm
Weight: 50 kg



Wonderwall™ Barrier
A heavy-duty, enhanced Barrier system available in multiple configurations to create a stable barrier that offers greater stability in high winds without the need for extra ballast bags.

Code: 150/900
Height: 1000 mm
Width: 1140 mm
Depth: 50 mm
Weight: 21.7 kg

GROUND WORKS

TRENCH AND MANHOLE BOXES ARE USED TO CREATE A SAFE WORKSPACE FOR INSTALLING, ASSESSING OR REMOVING STRUCTURES BURIED IN THE GROUND.

WHILE DRAG BOXES ARE WIDELY USED TO SUPPORT NARROWER EXCAVATIONS IN THE LAYING OF PIPES OR CABLING.

THEY ARE SIMPLE TO ASSEMBLE, FABRICATED FROM HIGH GRADE STEEL AND COMPLY WITH BS EN 13331 PARTS 1 & 2.

OUR TEAM CAN ADVISE ON SPECIFIC PRODUCT DIMENSIONS, THE BEST CONFIGURATION(S) FOR YOUR NEEDS AND SUPPLY ALL ANCILLARY PRODUCTS FROM ACCESS AND EDGE PROTECTION TO EXCAVATORS AND DUMPERS.



GROUND PROTECTION



Ground Excavation Manhole Box
The light manhole box for handling by small-sized excavators. Simplified struts make it easy to assemble and these boxes allow rapid construction of manhole excavations up to 4 metres in suitable soils.

Lightweight Manhole Boxes
Designed for utility, drainage, gas and communication contracts, the mini box is an easy-to-use portable light trench system. Suitable for trench widths from 600 - 900mm, or 1,000 - 1,800mm."



Trench Struts
Available in sizes 0, 1, 2 and 3

Code: 209107
Size 0 Strut

Code: 209108
Size 1 Strut

Code: 209109
Size 2 Strut

Code: 209110
Size 3 Strut



Ground Excavation Trench Box
A fast, safe and economical method of providing trench safety in excavations up to a maximum depth of 4 m.

Mini Trench Boxes
A lightweight, portable, modular trench box system that meets all the safety requirements of the latest British and European standards.



Trench Sheets
Available in lengths up to 6m trench sheets are driven into the ground to provide a safer work environment for ground workers. Standard (HD) and Heavy Duty (KKD) sheets available.

Code: 209400
2M Trench Sheet

Code: 209401
2.5M Trench Sheet

Code: 209402
3M Trench Sheet

Code: 209403
3.5M Trench Sheet

Code: 209404
4M Trench Sheet

Code: 209405
4.5M Trench Sheet

Code: 209406
5M Trench Sheet



Manhole Shutter Wraps
A series of 3-panel types that combine quickly and easily to create a shutter for pouring a concrete surround for pre-cast manhole rings.

Code: 209001
(H) 900 x (W) 1030 mm
or (H) 900 (H) x (W) 1276mm

Code: 209002
(H) 1800 x (W) 1030 mm
or (H) 1800 x (W) 1276mm



Driving Cap
Two types of driving cap are available for standard or KKD trench sheets. They greatly reduce damage and assist driving of the sheets through the ground.

Extractors
Our trench sheet extractors are simple to use and make the process of extracting trench sheets as efficient as possible.

Ladder Access System
Robust ladder access platform for use with excavation support systems. The system can be quickly and effectively clamped to trench boxes and trench sheets to provide a safe access platform for entry to the excavation via a steel ladder.

Code: 209768
Trench Sheet Driving Cap

Code: 209410
Trench Sheet Extractor

Code: 369128
Ladder Access System



Edge Protection System
The Edge Protection System has been designed, developed and manufactured in the UK and has a number of unique design features:

- Profiled edges for extra strength
- Integrated toe-boards for in-built safety
- K-Lock active safety lock feature
- Dimple 'line up and lock' connection points for quick and easy installation

Sunbelt Rentals' Edge Protection System complies with European conformity



Road Forms Rigid/Flexible
A simple form of shuttering which is normally used for concrete slabs or floors.

Each unit is 3 metres long and can be supplied in various depths from 100 to 300 mm to suit the thickness of the slab.

Road Forms can be supplied as flex or standard with 450 mm and 600 mm stakes and stake extractors also available.

standards laid out in BS EN 13374. The Sunbelt Rentals Edge Protection System incorporates a system of posts and barriers, which can be fitted in a variety of applications including:

- Live edge protection
- Slab edge protection
- Debris guard barrier
- Structural steelwork protection
- Safe site walkway

Code: 209201
3000 x 100 mm
Standard

Code: 209205
3000 x 200 mm
Standard

Code: 209210
3000 x 100 mm
Flex

Code: 209214
3000 x 200 mm
Flex

Code: 209203
3000 x 150 mm
Standard

Code: 209207
3000 x 250 mm
Standard

Code: 209212
3000 x 150 mm
Flex

Code: 209208
3000 x 300 mm
Standard

GROUND PROTECTION AND ACCESS



Euro Mats/Pedestrian Walk-Way Mats

An effective man-handleable solution to temporary access and ground protection. These heavy duty polyethylene mats can be used to protect soft ground from heavy plant and machinery. We can also supply connectors, bolts and washers to fix mats together.

Code: 239301

Length: 2400 mm
Width: 1200 mm
Weight: approx. 40kg




Standard & Kerb Pedestrian Covers

Non slip, durable and portable - used widely to allow access to kerbs of varying heights. Can be hired or purchased.

Code: 150/900

Length: 1285 mm
Width: 690 mm
Depth: 90 mm
Weight: 7.6 kg
SWL: 500 kg



Road Plates

Steel Road Plates are a simple solution to maintaining pedestrian and vehicle access over open trenches and other excavations. With lifting holes in each corner and anti-skid protection.

Code: 209505 (non slip)

Length: 2400 mm
Width: 1200 mm



Speed Reduction Hose Ramp

Safety Hose Ramps are used when placing hoses, cables, piping or ducting across an area, roadway or footpaths. They easily fit together to suit any length of cable.

Code: 150/900

Length: 1500 mm
Width: 500 mm
Weight: 42 kg



Ground Protection Marropave

One of the strongest ground reinforcement grids on the market. Manufactured from durable high-density Polyethylene, it's capable of withstanding up to 420 tonnes of compression per square metre.

Code: 150/900

Length: 330 mm
Width: 330 mm
Depth: 40 mm
Max Vehicle Speed: 15 mph
Max Carry Load: 30 ton axle weight



Speed Reduction Ramp (Cable)

An ideal method of protecting a temporary cable or hose or for reducing traffic speed. The ramps should be laid as alternate black and yellow sections and bolted down. End caps available, Max weight limit is 12.5 (rear axle) ton.

Code: 150/900

Length: 500 mm
Width: 500 mm
Height at Centre: 75 mm

GROUND PROTECTION AND ACCESS



EMTEK Mats
The Emtek Mat is engineered to withstand the abuse of modern constructions sites. Control of the density of raw materials during the manufacturing process ensures that the mats have a hard, impact resistant surface despite being much lighter than traditional hardwoods. The laminating process used during manufacturing creates a composite structure which resists fracture and gives customers peace of mind that their equipment, site teams and projects will not be compromised or made unsafe in any way.

Code: 400/130
Emtek Mat

Available in 3, 6, 9, 12, 15 and 18 step units, ranging from 1.03 m – 5.08 m in length (approx. 1 m length per 3 step increment).

Code: 150/900

Fitted with certified lifting eyes.
Available in lengths 1245 mm, 3222 mm and 5250 mm

Code: 150/900

Site Stairways System
Stairways offer safe work access for a number of problem situations including civil engineering projects, between floors on RC frame contracts or on motorway and railway embankments.

Temporary Site Bridge
A lightweight bridge with foldable handrails for easy transport and quick assembly.

SITE ESSENTIALS



Gas Cages
Simple to erect, these gas cages provide secure storage of gas bottles on site.

Code: 236001
Small Gas Cage



Drum Spill Pallets
Our sump pallets are designed to take a range of different volumes to suit different multiples of storage drums and IBCs. The spill pallets are all fully watertight, tested and certificated to ensure that should a drum leak, then the spill is controlled and contained.

Code: 264087
Two Drum Spill Pallet

Code: 264086
Four Drum Spill Pallet



Site Storage Cage
The flat packed storage cage can be erected in minutes. The galvanised unit is a one-piece unit that can also be stacked flat and is also fork-liftable.

Code: 150/900
Width: 1200 mm
Depth: 1200 mm
Height: 1800 mm
Weight: 130 kg

NON MECH ESSENTIALS



Tipping Skips
Heavy duty tipping skip can be mounted on fork truck and tele handlers.

Code: 026210
1200 Litre Tip Skip
Code: 026211
1500 Litre Tip Skip



Acrow Props
The original false work support system is still the most commonly used and economic method of providing temporary support to a variety of structures. Available in sizes 0 to size 4.

Code: 209101	Code: 209104
Size: 0	Size: 3
Size: 1070 - 1820 mm	Size: 2590 - 3950 mm
Code 209102	Code: 209105
Size: 1	Size: 4
Size 1750 - 3120 mm	Size: 3200 - 4870 mm
Code: 209103	
Size 2	
Size: 1980 - 3350 mm	



Fall Protection Airbags
A Fall Arrest System that can be self-installed in most floor plans. This H&S approved system is suitable for falls up to 2 m. Each bag is 2150 x 750 x 750 mm, they easily connect together and each bag inflates in approx. 30 seconds from an electric blower.

Code: 150/900

CRANE ATTACHMENTS



Crane Boat Skip
Used for general site clearance, crane boat skips are ideal for hard to reach places where cranes are available to manoeuvre the skip.

Code: 150/900	Code: 150/900
500 Litre Capacity	2000 Litre Capacity
Code: 150/900	Code: 150/900
1000 Litre Capacity	4000 Litre Capacity
Code: 150/900	
1500 Litre Capacity	



Crane Column Concrete Skip
Column skips allow concrete to be poured into columns or structures with narrow access and then discharged at low level, they reduce the risk of aggregate separation.

Code: 150/900	Code: 150/900
500 Litre Capacity	1500 Litre Capacity
Code: 150/900	Code: 150/900
1000 Litre Capacity	2000 Litre Capacity

The concrete is then discharged through a shutter into a fitted hopper on which the outlet terminates as a 200 mm diameter tube. We have 2.5 m and 5 m heavy duty rubber hoses available for sale with all crane column skips.

CRANE ATTACHMENTS



Crane Geared Cone Flow System
A general-purpose concrete skip with small shutter opening and low loading height. When in use, the crane skip will hang at a 30-40-degree angle. This offset can be useful when pouring in areas with difficult access.

Code: 150/900
500 Litre Capacity
Code: 150/900
1000 Litre Capacity



Crane Goods Carry Cage
A heavy duty 4 sides carry cage with removable front panel for easy loading. Fitted with fully tested and certified lifting lugs.
Available with a SWL of 1.5 ton or 3 ton

Code: 150/900
SWL: 1.5 ton
Code: 150/900
SWL: 3 ton



Crane Muck Tipping Skip
This crane skip is normally used for muck removal or general site rubbish clearance. Once the bale support fingers are disengaged the skip becomes self tipping.

Code: 150/900 100 Litre Capacity	Code: 150/900 1000 Litre Capacity
Code: 150/900 200 Litre Capacity	Code: 150/900 1500 Litre Capacity
Code: 150/900 500 Litre Capacity	Code: 150/900 2000 Litre Capacity



OUR PRIMARY NON-MECHANICAL EQUIPMENT DEPOTS

Non-Mech Central:

0330 055 3455

nonmech@sunbeltrentals.co.uk

GLASGOW

338 Broomloan Road, Govan, G51 2JQ
0141 557 5151

LIVERPOOL

Dunnings Bridge Road, Bootle, Liverpool, L30 6TA
0151 523 2343

GATESHEAD

Stoneygate Lane, Felling, Gateshead, NE10 0LX
0191 469 9990

BIRMINGHAM

202 Kings Road, Tyseley, B11 2AP
0121 708 0712

NORWICH

Airport Industrial Estate, Anson Road, Norwich,
NR6 6ED
01603 408088

CARDIFF

Llandough Trading Est, Penarth Rd, Cardiff, CF11
8TW
02920 708689

LEATHERHEAD

130 Kingston Road, Leatherhead, KT22 7PU
01784 490 900



PROVIDING RENTAL PRODUCTS AND MANAGED SOLUTIONS INTO EVERY MARKET AND SECTOR



PLANT & TOOLS

Over 200,000 items of equipment to choose from



PLANT ATTACHMENTS

The sole UK distributor for several of the world's leading attachment manufacturers



POWERED ACCESS

The combined height and reach of our equipment can transport you safely over 50,000 metres



LIFTING

Our solutions have been used on 7/10 of the tallest buildings in the UK



POWER

5000 rental units - Enough equipment to power a small city



INDUSTRIAL

On your site to meet the demands where every second counts



UTILITIES

The UK's largest specialist Utility hire company



SAFETY & COMMUNICATIONS

The industry's most knowledgeable and experienced specialists in this field



SURVEY

The UK's industry-leading supplier of land survey and precision measurement technologies



TEST & CALIBRATION

Europe's leading test equipment specialists since 1996



29



CLIMATE CONTROL

Economical and efficient temperature control and HVAC solutions, with a 24/7 emergency response service



ACCOMMODATION

24/7/365 call out facility covering 20,000 items on fleet



TRAKWAY

Award winning engineered access and ground protection solutions



TRAFFIC MANAGEMENT

24/7 national coverage with operations covered by QEHSS accreditations



BARRIERS & FENCING

Crowd control and perimeter security solutions



RAIL

We support the Network Rail and Transport for London infrastructure - keeping the railway moving 365 days a year



HOISTS

We hold over 10km of mast sections, enough to scale London's Shard building over 32 times



FORMWORK & FALSEWORK

We are the exclusive hire supplier of MEVA products in the UK



TRAINING

We have a dedicated Health and Safety training operation to qualify our own people and our customer's people



LIGHTING

Our state-of-the-art tower lights will keep your worksites safe and secure

Non-Mech Central:
0330 055 3455
nonmech@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk