

FLOOR CARE & MAINTENANCE

PREP, CLEAN AND
MAINTAIN ANY FLOOR





WE ARE THE TEAM BEHIND YOUR TEAM

Sunbelt Rentals is part of Sunbelt Rentals Holdings, Inc. a global leader in equipment rental and the largest provider in the UK & Ireland.

Our team of experts support customers across every market sector and together we're redefining the future of rental. We're the first and only equipment hire company to offer a complete 360 managed solution for any contract, no matter how large or complex, with cost and carbon savings built in from day one.

We will deliver, maintain, manage and monitor all the equipment you need, whenever and wherever you need it. Leaving you free to concentrate on your core business, knowing that your equipment is being looked after by trusted experts.

OUR PURPOSE

Equipping people to transform places, spaces and lives.

UNRIVALLED POSITION

With sustainability, innovation and business governance at the heart of our plan, we are committed to driving emissions down, helping you achieve your sustainability goals today and developing tomorrow's essential skills and jobs.



**4,000+
EMPLOYEES**



**200
DEPOTS**



**1 GLOBAL
TEAM**

LEVEL UP YOUR FLOOR CARE

From preparation and repairs to deep cleaning, high-level and ongoing maintenance, we support floor care operations across a wide range of environments with specialist expertise and a fully managed service.

With flexible rental, innovative technology and nationwide support, we make floor care simpler, safer and more efficient - across every site.

FLEXIBLE RENTAL AGREEMENTS

Our tailored rental agreements let you scale your floor care operations without the constraints of ownership.

Whether you need short-term hire for ad-hoc or periodic cleaning, flexible rental for short contracts or extensions where capital outlay can't be justified, or long-term rental as an alternative to ownership or leasing, we adapt to your requirements. You benefit from predictable costs and the freedom to focus on delivering consistent results.

EXPERTISE & CAPABILITY

Our fleet is built around the real-world demands of floor care.

From ride-on scrapers and remote-control grinders to high-performance scrubber-dryers, sweepers, robotic and high-level cleaning systems, every machine is selected for reliability and efficiency.

Maintained to the highest standards and backed by specialist knowledge, our equipment delivers consistent performance without the servicing, repair or end-of-life challenges associated with owned assets.

INNOVATION

We invest in innovative floor care technology that helps teams work smarter, safer and more efficiently.

Telematics-enabled machines provide real-time insight into utilisation and performance, while autonomous cleaning solutions reduce labour demands and deliver consistent, repeatable results. Remote-control preparation equipment helps minimise vibration exposure and operator fatigue, improving safety, productivity and control across your sites.

WHITE GLOVE SERVICE

Our managed service is designed to remove operational burden from your teams.

We handle site surveys, equipment demonstrations, operator familiarisation, delivery coordination and 24/7 technical support. If requirements change, we respond quickly, ensuring the right equipment is always on site, ready to work, wherever and whenever you need it.





FLOOR CLEANING

Our floor cleaning range supports efficient, consistent cleaning across a wide variety of environments - from compact, high-traffic spaces to large commercial and industrial facilities.

With walk-behind and ride-on scrubber-dryers, sweepers and autonomous cleaning solutions, teams can clean more space in less time, using equipment suited to the task at hand. Suitable for retail, care facilities, warehouses, logistics centres and car parks.

Telematics-enabled machines provide visibility of usage and performance to help maximise uptime and utilisation, while robotic cleaning solutions deliver reliable, repeatable results and help reduce labour pressures.

**SCAN TO
VIEW THE
FULL RANGE**



MICRO SCRUBBER-DRYERS

Choose micro scrubber-dryers for precise, efficient cleaning in compact, high-traffic areas with tight corners and obstacles.

Ideal for retail, hospitality, care facilities and commercial environments where larger machines aren't practical.

Model		Type	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Down Pressure	Dimensions (L x W x H)
	i-mop® XL	Dual Disc	1,800 m² / h	460 mm	1.1 hr	26.7 kg	350 mm x 480 mm x 1,200 mm
	Dryft	S-Motion Technology	1,538 m² / h	390 mm	Up to 1 hr 15 min	7.3 kg	430 mm x 230 mm x 1,485 mm
	T1B	Cylindrical	825 m² / h	380 mm	1.1 hr	17 kg	1,150 mm x 500 mm x 860 mm
	Pudu SH1	Disc	1,100 - 1,600 m² / h	440 mm	1.1 hr	27 kg	490 mm x 530 mm x 1,200 mm

WALK BEHIND SCRUBBER-DRYERS

Choose walk-behind scrubber-dryers for reliable, efficient cleaning across medium to large areas where control and consistency are key.

Ideal for warehouses, retail spaces, schools, leisure facilities and commercial environments requiring dependable day-to-day floor cleaning.



Model	Type	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Down Pressure	Dimensions (L x W x H)
	Disc	2,230 m ² / h	500 mm	1.6 hr	23 kg	1,372 mm x 559 mm x 1,095 mm
	Orbital	1,858 m ² / h	500 mm	3.1 hr	24 kg	1,283 mm x 635 mm x 1,095 mm
	Disc	3,270 m ² / h	650 mm	3.4 hr	up to 54.5 kg	1,314 mm x 660 mm x 1,100 mm
	Cylindrical	3,270 m ² / h	700 mm	3.2 hr	up to 54.5 kg	1,314 mm x 660 mm x 1,100 mm
	Disc	4,415 m ² / h	700 mm	3.2 hr	up to 90 kg	1,617 mm x 764 mm x 1,107 mm

RIDE-ON SCRUBBER-DRYERS

Choose ride-on scrubber-dryers for high-productivity cleaning in large commercial and industrial environments.

Designed to cover more ground in less time, they're ideal for distribution centres, manufacturing facilities, large retail spaces and logistics operations.

Model	Type	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Down Pressure	Dimensions (L x W x H)
	Disc	5,230 m ² / h	800 mm	3.2 hr	up to 73 kg	1,520 mm x 1,000 mm x 1,270 mm
	Cylindrical	5,230 m ² / h	800 mm	3.2 hr	up to 54 kg	1,520 mm x 1,000 mm x 1,270 mm
	Disc	6,660 m ² / h	800 mm	2 hr	114 kg	1,170mm x 1,065mm
	Disc	8,230 m ² / h	1,090 mm	1.8 hr	91 kg	1,880 mm x 1,070 mm x 1,475 mm
	Cylindrical	8,230 m ² / h	1,090 mm	2 hr	91 kg	1,880 mm x 1,070 mm x 1,475 mm
	Cylindrical	17,560 m ² / h	1,370 mm	3.2 hr	177 kg	2,410 mm x 1,300 mm

WALK-BEHIND FLOOR SWEEPERS

Choose walk-behind floor sweepers for efficient removal of dust, dirt and debris in small to medium-sized indoor and outdoor areas.

Compact and easy to operate, they're well suited to workshops, warehouses, retail spaces and environments where regular sweeping is essential.

Model	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Hopper Capacity	Dimensions (L x W x H)
 S10 Walk-Behind Floor Sweeper	4,023 m ² / h	860 mm	2.2 hr	79 Litres	1,600 mm x 920 mm

FLOOR SWEEPERS

Choose ride-on floor sweepers for fast, efficient debris collection across large indoor and outdoor environments.

With wide cleaning paths and high-capacity hoppers, they're ideal for logistics centres, car parks, industrial sites and production facilities.

Model		Productivity (Sq. m / hour)	Cleaning Path	Runtime	Hopper Capacity	Dimensions (L x W x H)
	6100 Ride-On Floor Sweeper	7,720 m² / h	762 mm	3.3 hr	85 Litres	1,520 mm x 805 mm
	S16 Ride-On Floor Sweeper	10,340 m² / h	1,170 mm	2.2 hr	150 Litres	1,815 mm x 1,650 mm
	S20 Ride-On Floor Sweeper	15,120 m² / h	1,270 mm	10 hr	310 Litres	2,090 mm x 1,230 mm
	S20 HEPA Ride-On Floor Sweeper	15,120 m² / h	1,270 mm	7 hr	310 Litres	2,090 mm x 1,330 mm
	S30 Ride-On Floor Sweeper	26,010 m² / h	1,590 mm	8 hr	395 Litres	2,362 mm x 1,587 mm

MULTI-FUNCTION SCRUBBER-DRYERS

Choose multi-function scrubber-dryers for high-performance sweeping and scrubbing in a single pass.

Designed for demanding industrial environments, they capture debris, scrub surfaces and dry floors simultaneously, reducing downtime and improving site safety across large floor areas.

Model		Type	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Weight	Dimensions (L x W x H)
	M20	Cylindrical	17,560 m² / h	1,300 mm	9 hr	1,497 kg	2,410 mm x 1,470 mm
	M17 Multi Functional Ride On Scrubber Dryer / Sweeper	Disc	10,730 m² / h	915 mm	4.3 hr	2,475 kg	2,850 mm x 1,370 mm

ROBOTIC FLOOR CLEANERS

Robotic floor cleaners provide a smarter, more consistent approach to floor cleaning in commercial and industrial environments.

Operating autonomously around people and obstacles, they deliver reliable, repeatable results while reducing reliance on manual labour. With intelligent navigation and data-driven reporting, robotic cleaning supports greater consistency, improved visibility and more efficient use of cleaning resources across single or multi-site operations.



Model		Type	Productivity (Sq. m / hour)	Cleaning Path	Runtime	Weight	Dimensions (L x W x H)
	LionsBot R3 Robotic Vac	Disc	500 - 800 m ² / h	350 mm / 550 mm (with side brushes)	2 - 3 hr	53 kg	655 mm x 482 mm x 521 mm
	LionsBot R3 Robotic Scrub Pro	Disc	800 m ² / h	380 mm / 635 mm (with side brushes)	3.5 hr	82.5 kg	635 mm x 570 mm x 825 mm
	LionsBot R5 Robotic Vac	Disc	Up to 2059 m ² / h	520 mm	4 hr	200 kg	690 mm x 690 mm x 1,125 mm
	X4 ROVR Scrubber -Dryer	Disc	1,860 m ² / h	500 mm	2.5 hr	182 kg	960 mm x 560 mm
	X6 ROVR Scrubber	Disc	6,967 m ² / h	650 mm	6 hr	264 kg	1,210 mm x 800 mm x 1,170 mm
	T7AMR Scrubber -Dryer	Disc	1,670 m ² / h	650 mm	6.5 hr	92 kg	1,520 mm x 1,000 mm

FLOOR CLEANING CONSUMABLES

Our range of floor cleaning consumables is designed to support consistent results, protect equipment performance and simplify day-to-day cleaning operations.

Floor Pads

We stock a range of floor pads suitable for cleaning all smooth floor surfaces. Ranging from 12 – 20 inches. Select red pads for light cleaning or opt for green pads for deep cleaning.



Red: IPAD9R



Green: IPAD9G



Red: F12R, F13R, F14R, F16R, F18R & F20R




Green: F12G, F13G, F14G, F16G, F18G & F20G

Product Code	Description	Scrubber-Dryer Compatibility
Red: IPAD9R Green: IPAD9G	i-mop XL pads (box of 10)	i-mop XL
Red: F12R Green: F12G	12" floor pads (box of 5)	Tennant T500 (Disk)
Red: F13R Green: F13G	13" floor pads (box of 5)	Tennant T7AMR
Red: F14R Green: F14G	14" floor pads (box of 5)	Tennant T600 (Disk)
Red: F16R Green: F16G	16" floor pads (box of 5)	Tennant T7
Red: F18R Green: F18G	18" floor pads (box of 5)	Tennant T16
Red: F20R Green: F20G	20" floor pads (box of 5)	Tennant T300 and Tennant T380AMR


For advice on the right consumable or to see our full range, our Flooring Solutions team is on hand to help.

Flex Scrub Pads

Flex Scrub pads combine the performance of a pad with the longevity of a brush and last up to 50 times longer than a pad. They are suitable for use on smooth and textured floors and can also be used to clean grout. We stock a range of Flex Scrub pads from 13 – 20 inches.



Red: 583413, 583414, 583416, 583418 & 583420



Green: 583013, 583014, 583016, 583018 & 583420

Product Code	Description	Scrubber-Dryer Compatibility
Red: 583413 Green: 583013	13" Flex Scrub pad	Tennant T380AMR (x2)
Red: 583414 Green: 583014	14" Flex Scrub pad	Tennant T600D (x2)
Red: 583416 Green: 583016	16" Flex Scrub pad	Tennant T7 (x2)
Red: 583418 Green: 583018	18" Flex Scrub pad	Tennant T16 (x2)
Red: 583420 Green: 583420	20" Flex Scrub pad	Tennant T300 (x2) and T380AMR (x2)



FLEX SCRUB - Combines the performance of a pad with the longevity of a brush. Lasts up to 50 times longer than a pad. Available in sizes between 13 to 20inch.

ANCILLARY CLEANING EQUIPMENT

We can provide an efficient, reliable cleaning and maintenance solution for any application no matter how big or small.

Our range includes powerful high-performance pressure washers, professional-grade steam cleaners and escalator cleaners.



Escalator Cleaner

This mains powered wet and dry escalator cleaner is designed for everyday use in a range of commercial environments including large retail stores, supermarkets, shopping centres, airports and train stations. Combining spray extraction and agitation to clean, scrub, and dry at the same time with a unique swivel head that cleans the entire conveyor edge to edge.

Model: Tennant X51
Cleaning Path: 510mm
Brush Pressure: 30kg
Brush Speed: 400rpm

Dimensions (L x W x H):
1,215mm x 580mm x 960mm
Weight: 96kg
Cable Length: 20m
Noise Levels: 75dB(A)



Steam Cleaner

This professional steam cleaner ensures traceless removal of tough dirt. Reaching 180°C and 8-bar pressure, it guarantees deep, safe cleaning on all surfaces. Stainless steel trolley and boiler ensures durability, while combining steam and detergent amplifies power, versatility, and longevity.

Model: IPC SG-48 Steam Generator
Steam Temperature: 185°C
Operating Pressure: 8/0.8bar
Tank Capacity: 5l

Dimensions (L x W x H):
7,450mm x 480mm x 1,040mm
Weight: 32kg
Boiler Power: 3.4kw
Vacuum Power: 1.4kW
Start-up Time: 6mins



E5 Carpet Extractor

Deep clean carpets with this carpet extractor's dual spray jets and powerful suction. Increased operator comfort with Insta-Adjust™ handle, low 69dB(A) noise, and Hygenic® cleanable tank, ideal for busy environments ensuring minimal disruption.

Model: Tennant E5
Power Source: Electric
Cleaning Path: 380mm
Travel Method: Walk-behind

Dimensions (L x W x H):
680mm x 490mm x 709mm
Weight: 46kg
Power Requirement:
15m power cord
Head Type: N/A



ANCILLARY CLEANING EQUIPMENT

IPC H28/4 Pressure Washer

Built for rugged daily use, this high pressure washer comes equipped with features to improve ease of operation, including leakage control and working hour counter. The all-terrain wheels allow you to transport and use it in hard-to-reach areas with unstable surfaces.

Model: IPC H28/4
Flow Rate: 240-500l/h
Power Requirement: 240v/16A
Outlet Water Temperature: 30-110 °C

Dimensions (L x W x H): 820mm x 630mm x 870mm
Weight: 75kg
Boiler Thermal Power: 37.8kW
Fuel Consumption: 3.2kg/hr
Fuel Tank: 18l
Operating Pressure: 40-130/4-13 bar



Tornado E Pressure Washer

This zero emissions portable pressure washer is powered by lithium-ion batteries to provide 15 minutes of washing time away from a water source, and a maximum 2 hours of constant use.

Model: Tornado E
Flow Rate: 11l/m
Power Requirement: Battery (2 x 100amp)
Outlet Water Temperature: Cold Wash Only

Dimensions (L x W x H): 1,170mm x 660mm x 870mm
Weight: 136kg
Bowser Tank Capacity: 150l
Charging Time: 10hours
Charging Requirement: 26A
Operating Pressure: 100bar / 1,500psi



HIGH LEVEL CLEANING SYSTEMS

Neptune 3 - External High-Reach Vacuum

Triple motor, wet/dry vacuum designed for demanding external cleaning tasks. Ideal for removing heavy, wet or organic debris from gutters and external structures.

Endeavour 2 - Internal High-Level Vacuum (110v)

A dual-motor industrial vacuum designed specifically for internal dust removal. Perfect for ceilings, ducting, pipework and overhead structures where fine dust collects. It includes advanced filtration and integrated storage for tools and poles, supporting efficient indoor cleaning.

Titan 2 - ATEX High-Level Vacuum (110v)

A dual-motor, ATEX-certified vacuum engineered for safe cleaning in combustible dust areas (Zone 22). Designed for industries dealing with flammable powders such as food ingredients, wood dust, sugar and fibres, ensuring compliant and safe dust removal. Poles are made from 100% carbon to guarantee non-spark and anti-static operation.

Which Vacuum Do You Need?

Neptune 3: External areas, heavy/wet debris, guttering work.

Endeavour 2: Internal spaces, fine dust, overhead internal cleaning.

Titan 2 (ATEX): Hazardous sites with combustible dust (Zone 22).

Multiple pole sizes available.





HIGH PERFORMANCE CLEANING, WITH LOWER ENVIRONMENTAL IMPACT

BioHygiene scrubber dryer detergent sachets provide accurate, hassle-free dosing for all scrubber-dryer machines.

Each water-soluble sachet dissolves fully in fresh water, delivering consistent cleaning performance while reducing waste, storage needs and environmental impact.

Cleaner

Powerful biotech formula removes dirt, grease and odours while remaining suitable for all floor types.

Leaner

Pre-measured sachets ensure accurate dosing, faster preparation and minimal product waste.

Greener

Plastic-free, water-soluble paper sachets with plant-derived ingredients support sustainable cleaning.

FLOOR STRIPPING & SCRAPING

Removing existing floor coatings and preparing surfaces requires specialist equipment and knowledge.

Especially when dealing with hardened adhesives, coatings and resilient materials. Our market-leading range of floor scraping equipment provides efficient, controlled removal across a wide variety of applications, from compact walk-behind machines to heavy-duty ride-on units for large-scale projects.

Supported by expert guidance on machine and tooling selection, we help reduce labour time, minimise subfloor damage and keep preparation work moving safely and efficiently.



FLOOR SCRAPING EQUIPMENT

Choose floor scrapers for fast, controlled removal of floor coverings, adhesives and surface coatings across a wide range of applications.

From compact walk-behind machines for confined spaces to heavy-duty ride-on units for large-scale projects, our range supports efficient preparation with reduced labour and consistent results.

Model		Speed	RPB	Vibration	Noise Levels	Power Source	Power Requirement	Weight	Dimensions (L x W x H)
	NFE 6280	3.0 - 13.7 m / min	2,875	6.3 m / s²	79db (A)	Electric	110 v	192.8 kg	130 cm x 45 cm x 117 cm
	NFE Rogue	0.9 - 45.7 m / min	600 - 2,000	12.84 m / s²	85.5db (A)	Electric	110 v	211.4 kg	114 cm x 56 cm x 115 cm
	NFE 5700	Up to 36.6 m / min	-	-	94-97db (A)	Battery	110 v	1,091 kg	160 cm x 62 cm x 127 cm
	NFE 7700	Up to 61 m / min	-	-	-	Battery	230 v	1,251 kg	160 cm x 75 cm x 127 cm
	NFE 8000	Up to 61 m / min	2,950	-	-	LPG	6.5 hr	1,344 kg	160 cm x 76 cm x 166 cm

FLOOR STRIPPING & SCRAPING TOOLING

Wood Floor Shanks

The longer taper on this shank creates the ideal tool for wood floors. Available for Riders, the 6280HD, and Rogue.

Part #	Dimensions (W x L x Thickness)	Rogue	Ride-On
7075-8	2" x 8" x .300"		X
7075-11	2" x 11" x .300"		X
7077-8	3.5" x 8" x .300"		X
7077-11	3.5" x 11" x .300"		X
7082-8	2.5" x 8"		
7082-8GV	2.5" x 8", Grooved	X	

Angle Shanks

Available with and without a carbide tip, these shanks are designed to remove ceramic, wood, and thick epoxy.

Part #	Dimensions (W x L x Thickness)	Rogue	Ride-On
7071-2	4" x 2" x .500"		X
7071-3	4" x 3" x .500"		X
7071-4	4" x 4" x .500"		X
Angle Shanks with Carbide Tip			
552	4" x 2" x .312"		
552GV	6" x 2" x .500", Grooved	X	
7079-2	6" x 2" x .500"		X
7079-4	6" x 4" x .500"		X
7079-6	6" x 6" x .500"		X
7281-1	6" x 1" x .500"	X	
7281-1GV	6" x 1" x .500", Grooved	X	
7281-12	4" x 2" x .312"	X	
7281-2	6" x 2" x .500"	X	

A 551 shank holder is required to attach the 552 shank to the 550 walk-behind scraper.

Flat Blades

Available in varying dimensions these flat blades are a must-have for VCT, VAT, wood, tile, epoxy, elastomeric coatings, scraping thin-set, and glued ceramic.

Part #	Dimensions (W x L x Thickness)	6280	Rogue	Ride-On
Premium High Tempered				
135	5" x 16" x .062"	X	X	
136	5" x 8" x .062"	X	X	
147	4" x 6" x .062"	X	X	
148	5" x 6" x .062"	X	X	
7050-200	3" x 6" x .062"	X	X	
7050-201	3" x 8" x .062"	X	X	
7050-202	3" x 10" x .062"	X	X	
7050-203	3" x 12" x .062"	X	X	
7050-204	3" x 14" x .062"	X	X	
7050-205	3" x 27" x .062"			X
Heavy-Duty Blades				
6240	4" x 6" x .094"	X	X	X
6241	4" x 8" x .094"	X	X	X
6242	4" x 12" x .094"	X	X	X
6243	4" x 15" x .094"	X	X	X
6244	4" x 24" x .094"			X
6245	4" x 10" x .094"	X	X	X
6246	4" x 27" x .094"			X
6281	3" x 8" x .094"	X	X	X
6282	3" x 14" x .094"	X	X	X
6283	3" x 27" x .094"			X
6284	3" x 12" x .094"	X	X	X
6285	3" x 6" x .094"	X	X	X
6286	3" x 10" x .094"	X	X	X
Extra Heavy-Duty Blades				
6270	1-1/2" x 3" x .250			X
6271	3" x 6" x .250			X
6273	3" x 11" x .250			X
6290	3" x 6" x .187			X
6291	3" x 8" x .187			X
6292	3" x 12" x .187			X
6293	3" x 14" x .187			X
6294	3" x 27" x .187			X

Ultra HD Angle Shank w/ Removable Carbide Tip

For removing hard goods with your ride-on scraper, this shank features removable and sharpenable carbide tips. For maximum efficiency, the operator can exchange tips and sharpen them later.

Part #	Includes
403112	2" Ultra HD shanks, 3 carbide tips, set screws and tool
407394 PK3	3 carbide tips, set screws, and tool
402601	Sharpening holder; designed for efficiency, this will allow you to safely hold the carbide tip while it is sharpened

Guillotine Blades®

Part #	Dimensions (W x L x Thickness)	6280	Rogue	Ride-On
6285-GT	3.75" x 6" x .094"	X	X	X
6284-GT	3.75" x 12" x .094"	X	X	X
6290-GT	3.75" x 6" x .187"			X
6292-GT	3.75" x 12" x .187"			X

1-Inch Blades

Designed for VCT and adhesive re-scrape. They also work well for parking deck coatings, epoxy, and elastomeric coatings.

Part #	Dimensions (W x L x Thickness)	Rogue	Ride-On
7091	1" x 4" x .094"	X	X
7092	1" x 8" x .094"	X	X
7093	1" x 10" x .094"	X	X
7094	1" x 12" x .094"	X	X

This blade requires a razor blade cutting head.

Razor/Scraper Blades

Designed for superhard thin epoxies, thin mil coatings (like urethane paint), poured elastomeric coatings up to 60 mil, and hard-to-remove adhesives.

Part #	Dimensions (W x L x Thickness)	6280	Rogue	Ride-On
363-2	.750" x 8" x .032"	X	X	X
368-8	.937" x 8" x .045"	X	X	X
368-12	.937" x 12" x .045"	X	X	X
368-15	.937" x 15" x .045"	X	X	X

Sold in packs of 50.

This blade requires a razor blade cutting head.

Self-Scoring Blades

These angled self-scoring blades work on attached cushion, vinyl back, soft to medium PVC, linoleum, carpet tiles, soft cork, and more.

Part #	Description (W x L x Thickness)	6280	6280HD	Rogue	Ride-On
Bevel Up, 90 degree (for concrete subfloor)					
6247-BU	Blade, Self-scoring 90 degree 4" x 10" x .094", BU		X	X	X
6248-BU	Blade, Self-scoring, 90 degree, 4" x 24" x .094", BU				X
6249-BU	Blade, Self-scoring, 90 degree, 4" x 12" x .094", BU	X	X		X
6255-BU	Blade, Self-scoring, 90 degree, 4" x 6" x .062", BU	X	X	X	
6257-BU	Blade, Self-scoring, 90 degree, 3" x 9" x .062", BU		X	X	
6258-BU	Blade, Self-scoring, 90 degree, 3" x 12" x .062", BU	X	X	X	
6259-BU	Blade, Self-scoring, 90 degree, 3" x 14" x .062", BU	X	X	X	
Bevel Up, 45 Degree Angle (for concrete subfloor)					
6276-BU	Blade, Self-scoring 45 degree 3" x 10" x .094", BU		X	X	X
6277-BU	Blade, Self-scoring 45 degree 3" x 12" x .094", BU	X	X	X	X
6278-BU	Blade, Self-scoring 45 degree 3" x 14" x .094", BU	X	X	X	X
6279-BU	Blade, Self-scoring 45 degree 3" x 27" x .094", BU				X
Bevel Down, 90 degree (for wood subfloor)					
6260-BD	Blade, Self-scoring, 90 degree, 3" x 6" x .094", BD		X	X	X
6265-BD	Blade, Self-scoring, 90 degree, 3" x 8" x .094", BD		X	X	X
6266-BD	Blade, Self-scoring, 90 degree, 3" x 10" x .094", BD		X	X	X
4" Tall Wings					
6256-BU:*	Blade, Self-scoring, 90 degree, 4" x 6" x .062" x 4"h, BU	X	X	X	
6261-BU:*	Blade, Self-scoring 90 degree, 3" x 12" x .062" x 4"h, BU	X	X	X	
6262-BU:**	Blade, Self-scoring 90 degree, 4" x 6" x .094 x 4"h, BU	X	X	X	X
6264-BU:**	Blade, Self-scoring 90 degree, 3" x 12" x .094" x 4"h, BU	X	X	X	X

FLOOR GRINDING & POLISHING

Floor grinding and polishing machines are engineered to deliver smooth, even, and high-quality floor finishes across concrete and hard surfaces.

Ideal for surface preparation, coating removal, levelling, and polishing, these machines provide consistent results for both renovation and new-build projects. With options suitable for small, medium, and large areas, grinding and polishing equipment delivers precision, durability, and efficiency for contractors seeking professional-grade floor preparation and finishing.

We understand that no two concrete floor preparation jobs are the same. That's why flexibility is built into our tailored rental agreements from day one, allowing equipment selection to adapt to different surfaces, finishes and site conditions.

Our range includes the latest generation of remote-control grinding equipment, helping reduce operator fatigue and vibration exposure while improving control, consistency and productivity on demanding projects.



FLOOR GRINDING AND POLISHING EQUIPMENT

Choose grinding and polishing machines for precise surface preparation, coating removal, levelling and polishing across concrete floors of all sizes.

From compact manual grinders to advanced remote-control units for larger areas, our range supports controlled operation, consistent finishes and efficient performance across a wide variety of applications.

Model	Operation	Power Source	Grinding Width	Grinding Disc Diameter	Heads	Vibration	Power Requirement	Output Power	Weight	Dimensions (L x W x H)
	Manual	Corded	450 mm	125 mm	3	0.620 m / s ²	110 v	1.12 kW	93 kg	1,200 mm x 450 mm x 1,210 mm
	Manual	Corded	515 mm	230 mm	3	0.620 m / s ²	380 - 415 v	4 kW	179 kg	1,000 mm x 569 mm x 720 mm
	Remote Control	Corded	600 mm	230 mm	4	< 2.5 m / s ²	380 - 415 v	7.5 kW	441 kg	1,385 mm x 657 mm x 1,054 mm
	Remote Control	Corded	800 mm	270 mm	4	< 2.5 m / s ²	380 - 415 v	15 kW	574 kg	1,533 mm x 867 mm x 1,067 mm

DUST AND SLURRY EQUIPMENT

Effective dust and slurry control is essential during cutting, grinding, drilling and polishing applications.

Our range of dust extraction and slurry management equipment helps maintain safe, clean and compliant working environments, supporting site safety standards by controlling airborne dust and wet waste and protecting operators across construction, refurbishment and industrial sites.

Model		Maximum Vacuum	No. HEPA Filters	Dust Extraction Class	Primary Filtration Area	Input Power	Power Requirement	Weight	Dimensions (L x W x H)
	NFE DL2000	400 m³ / hr	2	H Class	3 m²	1.1 kW	110 v / 16 A	37 kg	560 mm x 500 mm x 1,200 mm
	Husqvarna DE130	275 mbar	2	H Class	2.7 m²	3 kW	110 v / 32 A	48 kg	855 mm x 542 mm x 1,175 mm
	Husqvarna T 4000	260 mbar	2	H Class	3.6 m²	4 kW	415 v / 16 A	106 kg	830 mm x 620 mm x 1,500 mm
	Husqvarna T 7500	280 mbar	2	H Class	5.65 m²	5.5 kW	415 v / 32 A	206 kg	1,245 mm x 686 mm x 1,753 mm

FLOOR GRINDING & POLISHING TOOLING

Application	CONCRETE GRINDING - METAL TOOLS				CONCRETE HONING/ POLISHING - RESIN TOOLS
	ELITE-SERIES			VARI-SERIES	ELITE-SERIES
	REMOVING THIN COATINGS	MEDIUM CONCRETE	HARD CONCRETE	REMOVING THICK COATINGS	POLISHING PUCKS
Level	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	VARI-GRIND	ELITE-POLISH
Tool Name	EZ T-REX® 0	EZ M	EZ H	EZ T-REX® CLASSIC	EP D
GRIT PCD					
GRIT #16					
GRIT #25					
GRIT #30					
GRIT #50					
GRIT #100					
GRIT #200					
GRIT #400					
GRIT #800					
GRIT #1500					
GRIT #3000					
Attachment	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing

WET
DRY
 *Tooling listed above is for use with Husqvarna products.
 For all other tooling please speak to the Flooring Solutions team.



RENTAL EQUIPMENT AND MANAGED SOLUTIONS

Sunbelt Rentals - Providing rental and managed solutions into every market sector.



Air Quality Control

Advanced systems to capture, clean and control airborne hazards



Heating & Cooling

Climate solutions for comfortable, controlled working conditions



Plant & Attachments

Extensive plant fleet with specialist attachments for every task



Test & Monitoring

Precision instruments for electrical, environmental and mechanical testing



Barriers & Fencing

Secure, adaptable systems for crowd perimeter and threat control



Lighting

High-performance lighting for safe, well-lit environments



Power Generation

Scalable power systems with clean energy and critical backup



Tools

High-performance tools for building, landscaping and finishing tasks



Broadcast & Events

LED, video, lighting, sound, rigging & Scenic production



Lifting & Handling

Safe, adaptable equipment for moving loads with precision



Railway Maintenance

Specialist tools for safe, efficient on-track maintenance operations



Traffic Management

Complete traffic control solutions from survey to installation



Film & TV

Specialist camera, lens, grip and lighting for seamless on-set production support



Low Level Access

Compact access platforms for safe, efficient working at height



Safety, Communications & Security

Integrated site safety, monitoring and communication solutions



Training

Accredited courses delivered by expert trainers nationwide



Floor Preparation, Cleaning & Maintenance

Advanced equipment for efficient, professional surface care



MEWPs & Powered Access

Elevated access platforms for safe, efficient working at height



Surveying Equipment

Precision instruments for accurate site measurement and layout



Utilities & Pipeline

Advanced equipment for civil, gas and water operations



Ground Protection Mats

Engineered pedestrian and vehicle roadway systems with full site planning support



Non-Mech

Site essentials for safety, access and ground preparation



Temporary Bridges

Modular bridging systems for safe, rapid pedestrian or vehicle and plant access



Welfare & Storage

Comfortable welfare units and secure on-site storage options

ALL YOUR DATA, AT YOUR COMMAND



Command Centre is our secure customer portal that puts the power of data at your fingertips, enabling you to efficiently manage all your rental equipment 24/7, 365 days a year.

You can see live hires, historic spend and current debt. Drill down into full details on invoice and contract lines. Make better decisions through telematics, tracking utilisation and idle time, viewing fuel usage and CO2 emissions.

Get it all in one


Access all your data and multiple applications with just one login, one username and one password. Ensuring greater ease and stronger security protection – all in one.

Seeing is believing

See performance data on everything from telehandlers, excavators and dumpers to generators, lighting and powered access through your Command Centre telematics portal – with more equipment being added all the time.

By merging hire information with live data, you get a complete picture of your asset's status. Download reports to see:

- Location and last movement
- Equipment usage
- Fuel and battery levels (if available)
- Idle time (if available)
- Operating time
- Asset metadata (machine product and specific information)



HOW CAN I TRACK MY EQUIPMENT'S PERFORMANCE?

Monitor efficiency, utilisation and sustainability in real-time.

Connecting 20,000+ assets on one platform, our telematics reporting helps you to drive smarter, safer, more productive hire.

Our AI-driven portal lets you:

- See real-time utilisation, downtime & performance
- Track individual asset fuel to cut costs
- Track carbon emissions to hit sustainability goals
- Integrate data into your own systems through an API

01925 948 778

connectedassets@sunbeltrentals.co.uk




PURPOSE DRIVEN. INNOVATING CHANGE. PROTECTING OUR PLANET.

Our Planet is our action plan.

It's inspired by one clear purpose: equipping people to transform places, space and lives. Together we'll help deliver success for our customers, engaged colleagues, thriving communities, greater social impact and a greener climate.

With sustainability, innovation and business governance at the heart of our plan, we are committed to driving emissions down, helping you achieve your sustainability goals today and developing tomorrow's essential skills and jobs.

SCAN ME TO FIND OUT MORE ABOUT
OUR PLAN FOR A GREENER FUTURE



our planet

GET IN TOUCH

Our dedicated Flooring Solutions team would love to hear from you.

0300 3735 792

flooringsolutions@sunbeltrentals.co.uk

www.sunbeltrentals.co.uk

BATHGATE

Unit 1
Armada Industrial Estate
Armada
EH48 2ND

KETTERING

Lake View Business Park,
Top Close,
Thrapston
NN14 4PP

HEATHROW

242 – 252 London Road,
Staines,
Heathrow
TW18 4JQ

MANSFIELD

Orchard Way,
Sutton-In-Ashfield,
NG17 1JU

NATIONWIDE COVERAGE



Flooring Solutions
Depots

