

Non-Mechanical Equipment



WE KNOW THE IMPORTANCE OF AVAILABILITY AND QUALITY. WE ARE COMMITTED TO DELIVERING FOR OUR CUSTOMERS EVERY TIME.

At the heart of every safe, efficient project is a reliable support system—and that's exactly what we deliver. Specialising in non-mechanical equipment, including barriers and fencing, road plates and formwork and falsework, we provide robust, tailored solutions for construction, infrastructure, and event projects of all sizes.

Our dedicated team provides a comprehensive service, including:

- Expert site survey
- Detailed quotation
- Seamless installation and dismantling of equipment

With 10 strategically placed depots across the UK, we ensure fast delivery and expert support wherever and whenever you need it. Backed by vast quantities of equipment, we're always ready to keep your project moving.



CONTENTS

Temporary Barriers and Fencing	4
Ground Protection and Access	12
Traffic Management	18
Site Essentials	26
Crane Attachments	33
Groundworks	37
Non-Mechanical Equipment Depots	42
Rental Equipment and Managed Solutions	44

TEMPORARY BARRIERS AND FENCING

Since the 1960s, we've been committed to protecting the safety and security of the UK public. Today, we continue to innovate to meet the evolving threats of tomorrow.

We offer a huge range of barriers and fencing equipment designed to help direct and control the flow of pedestrians and traffic, and keep sites safe. With compatible accessories our barrier and fencing systems can be adapted based on your specific needs.

If you can't see what you need here or would like expert advice, please contact the team and they'll be able to talk you through options or source additional equipment for you.

- Pedestrian Crowd Control Barriers
- Police Barriers
- Concord Barriers
- Fortress Fencing
- Super Fortress Fencing
- Storm Fencing
- Mesh Fencing
- Acoustic Barriers
- Chapter 8 Barriers




TEMPORARY BARRIERS AND FENCING

Heras Fencing

A must for security on any site, our traditional Heras fencing panels are supplied with standard rubber footings, making sure it is simple to install. Our fencing can be supplied in any quantity with all relevant ancillaries including pedestrian and vehicle gates.

Code: 230012
Height: 2000mm
Width: 3500mm



Hoarding Panel

Code: 230031
Hoarding Panel
Height: 2000mm
Length: 2000mm



Code: 230034
Hoarding Panel Vehicle Gate
Size: 4m



Code: 230041
Hoarding Infill



Code: 230033
Hoarding Panel Pedestrian Gate
Size: 1m




Ancillary Fence Items Available

Code: 230016
Rubber Block
Code: 230018
Couplers
Code: 230021
Loading Tray

Code: Sale
Padlock and Chain
Code: 230071
Anti-Tamper Coupler
Code: Sale
Anti-Tamper Spanner

Code: 230020
Support Brace
Code: Sale
Debris Netting
Code: 230019
Anti-lift Device

Code: 230227
Reflective Strips



Code: 230025
Stillage Frame




Code: 230045
20kg Ballast Block
Code: 230051
40kg Ballast Block
Code: 230035
50kg Ballast Block



Code: 230060
Acoustic Quilt



Code: 230052
Angled Support Brace



Code: 230045
Block Lifter




TEMPORARY BARRIERS AND FENCING

Vehicle Gate

Allows vehicle access to site when linked with Heras Fencing, Mass Traffic Barriers, Speed Rated Barriers and Plastic Universal Barrier Systems.

Code: 230026
Height: 2043mm
Width: 4000mm



Gate within Panel

1m pedestrian access gate set within 3.5m x 2m Heras Fence Panel.


Code: 230030
Height: 2000mm
Length: 3500mm



Sliding Gate

Space saving 7m sliding gate system for Heras Fencing.

Code: 230228
Height: 2000mm
Length: 7000mm



Pedestrian Gate

The gates can link with standard Heras Fencing as well as the Mass Traffic Barrier, Speed Rated Barrier and Plastic Universal Barrier Systems to allow pedestrian access to site. Site guard fence panels can be fixed to each side using universal clamps.

Code: 230014
Height: 2122mm
Width: 1435mm



Security Pedestrian Gate

Security digi lock system that allows restricted access with codes provided.

Code: 230043
Height: 2000mm
Width: 1000mm



Defender Fencing

Defender Fence is a no-dig, self-supporting system that is 100mph wind-resistant.

Unlike the traditional mesh fence, Defender Fence is virtually breach-proof and tested to destruction by the Metropolitan Police.

Code: 230222
Fence panel
Height: 2400mm
Width: 3000mm

Code: 230220
Vehicle Gate
Height: 2400mm
Width: 5000mm

Code: 230221
Pedestrian Gate
Height: 2400mm
Width: 2100mm



TEMPORARY BARRIERS AND FENCING

Crowd Control Barrier

Suitable for low to medium crowd control and are compatible with Pedestrian Site Access Gates.

Code: 230001

Height: 1000mm

Width: 2300mm



Powder Coated Crowd Control Barrier


These barriers can be powder coated which involves covering with epoxy powder and heated to form a protective layer.

Code: 230008

Available red, white or blue

Height: 1000mm

Width: 2300mm



Pedestrian Site Access

Available with or without a gate and compatible with Crowd Control Barrier Systems.

Code: 230004


Without Gate

Code: 230007

With Gate

Height: 2000mm

Width: 2300mm



Pedestrian Block

Compatible with Crowd Control Barriers, these blocks are designed to weigh down the barriers and provide stability.

Code: 230053

Red or green 15kg



Concertina Barrier

Expandable barrier designed to set up secure perimeters in seconds. Available in red & white or yellow

Code: 230029

4m

Code: 230028

2m



GROUND PROTECTION AND ACCESS

We offer a wide range of product solutions for temporary access and ground protection.

From heavy-duty mats ideal for pedestrian and vehicle traffic to robust road plates designed to handle heavy loads, our products help keep your operations running smoothly whilst protecting the ground beneath.

Whether you are working on construction sites, infrastructure projects or outdoor events, our ground protection can offer -

- Load bearing performance
- Fast and easy installation
- Anti slip surfaces for improved safety

All products come with expert support to help you select the right solution for your needs.

GROUND PROTECTION AND ACCESS

Groundmats

An effective man-handleable solution to temporary access and ground protection. These heavy duty polyethylene mats can be used to protect soft ground from pedestrian traffic, vehicles and machinery.

We can also supply connectors, bolts and washers to fix mats together.

Code: 239301
Length: 2400mm
Width: 1200mm
Weight: approx. 40kg



Road Plates

Steel Road Plates are a simple solution to maintaining pedestrian and vehicle access over open trenches and other excavations. With lifting holes in each corner and anti-skid protection.

Code: 209505 (anti slip)
Length: 2400mm
Width: 1200mm

Code: 209503 (anti slip)
Length: 1200mm
Width: 1200mm

Code: 209502 (standard)
Length: 2400mm
Width: 1200mm

Code: 209500 (standard)
Length: 1200mm
Width: 1200mm
Approx weight: 500kg



LowPro Road Plates

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy.

Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs and more sustainable than steel alternatives.

Code: 209015
Length: 1500mm
Width: 500mm
Weight: 35kg

Code: 209016
Length: 2300mm
Width: 500mm
Weight: 65kg

Code: 209017
End Plate
Length: 1500mm
Width: 500mm
Weight: 23kg

SWL as 44T

Code: 209018
End Plate
Length: 2300mm
Width: 500mm
Weight: 27kg

Code 209007
Lifting Handles



Pedestrian Path

Low profile surface option for pedestrian walkways, quick and easy to install with non-slip surface.

Code: 209009001
Length: 1050mm
Width: 720mm
Weight: 20kg



Grass Mat

Rubber Grass Mats are an excellent solution for preventing grass erosion and absorbing fall impact on grass or concrete surfaces

Code: 209452
Length: 1000mm
Width: 1500mm
Weight: 9kg



TRAFFIC MANAGEMENT

A range of high visibility solutions designed to direct traffic and keep pedestrians safe on roadworks, construction and building sites.

Our product offering includes quickly deployable systems which offer maximum safety, barriers that are suited to low speed traffic areas, kerb ramps providing safe access and trench covers capable of supporting pedestrian and light vehicle loads.

We provide reliable solutions to help you manage vehicle and pedestrian movement, minimise disruption during works and ensure site safety - all backed by expert advice to help you choose the right products for your needs.



TRAFFIC MANAGEMENT

Speed Rated Barrier (RB22)

Designed to offer maximum safety, the Speed Rated Barrier is one of the quickest deployable systems on the market with up to 200m per load. On impact, the barrier will bring an errant vehicle to a controlled stop.

Code: 285006

Length: 2000mm
Height: 800mm
Width: 500mm
Weight Empty: 60kg
Weight Full: 600kg

Code: 230224

Fencing

Code: 252668

Hoarding

Water fill available.



Chapter 8 Barriers

A lightweight barrier providing protection to pedestrians from low-speed traffic and dangerous rail work areas. They are also commonly used to section off road works in low speed traffic areas.

Code: 285009

Height: 1000mm
Length: 2000mm
Weight: 10.5kg

Code: 285007

Blue (Rail Specific)
Height: 1000mm
Length: 2000mm
Weight: 10.5kg



Wonderwall™ Barrier

A heavy-duty, enhanced barrier system available in multiple configurations to create a stable barrier that offers greater stability in high winds without the need for extra ballast bags.

Code: 285107

Height: 1000mm
Length: 1140mm
Weight: 21.7kg

Code: 285018

Plastic Extension

Code: 285019

Metal Extension



Water Filled Barrier

Water filled barriers are high visibility, plastic safety barriers that provide protection for pedestrians, site workers and stakeholders. Water-filled barriers provide a robust and reliable safety system that is quick and easy to assemble. Our barriers come in a range of sizes and can be used in conjunction with other items such as pedestrian gates, vehicles gates, hoarding and fencing.

Code: 285100

1m Barrier. Red or White
Height: 555mm
Length: 1000mm
Width: 400mm
Weight: 6kg empty
55kg filled

Code: 285108

2m Red or White
Height: 800mm
Length: 2000m
Width: 520mm
Weight: 25kg empty
180kg filled

Code: 285013

1m Mesh Panel
Height: 445mm
Length: 1000m

Code: 285014

2m Mesh Panel
Height: 1200mm
Length: 2000m

Water fill available.



Height Restrictors/Goalposts

Code: 209350

Code: 209350-1
Goalpost Crossbar

Code: RSS

Goalpost Bunting



TRAFFIC MANAGEMENT

Slot Block Barrier

Each barrier set is 3500mm in length and contains 2 barriers which are designed to fit one standard temporary fencing panel. This robust plastic barrier system is designed to heighten the security around your project area. The unique design allows for temporary fencing panels to be quickly and easily fitted, whilst still conforming to the expected standards of a stable fencing system

Code: 285016
White

Code: 285015
Red

Water fill available.



Bull Barriers

The Bull Barrier system comprises of red and white powder coated interlocking steel barrier sections forming an effective traffic barrier solution. Bull Barrier is compliant with T2 W6 crash test standards and is MIRA wind tested to withstand 54mph with a mesh extension fixing.

Code: 285657
Bull Base White

Code: 285662
Bull Base Red

Code: 285659
Bull Terminator
End Unit

Code: 285660
Bull Angled Unit

Code: 285658
Bull Pedestrian Fence
1500 x 600

Code: 285663
Bull Site Guard Fence
3000 x 1500

Code: 285661
Bull Gate Mesh



Cable Ramp

Designed for outdoor use to protect electrical cables and hose lines from damage. For use with pedestrian traffic and low volume vehicular traffic.

Code: 264650
3 Way

Code: 296174
Hose Ramp

Code: 227520
5 Way



Bypass Ramp

An access ramp for when pipeline is diverted above ground. 44t SWL

Code: 285686



Kerb Ramp

The kerb ramp provides safe access for wheelchair, pushchair, motorised wheelchair, bicycle and foot traffic up to 250kg. It is commonly used to provide access from kerb to road when the pavement is closed for street works.

Code: 285050
Pedestrian

Code: 285037
Vehicle



SupaSite Ramp

SupaSite Ramp is a versatile heavy-duty ramp for up to 3-tonne machines and vehicles, for use from 100mm to 300mm. Replacing bespoke timber ramps and heavy steel alternatives.

Code: 285667



TRENCH COVER GUIDE

Composite trench covers can be installed in the following scenarios.

- A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.
- In some instances, road plates and trench covers must be bolted for safety, refer to the installation guide for more details.
- Trench covers can be linked together to safely cover any length of excavation.
- Trench covers have a maximum width allowance.
- The LowPro range is HAUC Compliant.
- LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.
- Trench covers must be installed centrally over the trench.

LowPro Trench




Pedestrian board with patented LowPro Edge technology, suitable for the distributed load of a 1.6 tonnes vehicle over a 700mm trench.

Code: 209019
Trench Cover 1.1m x 1.1m

Code: 209021
Trench Cover 1m x 1.5m

Code: 209020001
Trench Cover 0.8m x 1.2m



Maximum Trench Width	WHAT TYPE OF TRAFFIC WILL CROSS THE TRENCH?		
	FOOTWAY 400kg	DRIVEWAY 3.5T Vehicle	CARRIAGEWAY 44T Vehicle
100MM 4"	 LowPro 100	 LowPro 100	 LowPro 15/05
700MM 2FT	 LowPro 12/8  LowPro 11/11	 LowPro 15/10	 LowPro 15/05
900MM 3FT	 LowPro 15/10	 LowPro 15/10	 LowPro 23/05
1200MM 4FT	 LowPro 15/10	 LowPro 23/05	 LowPro 23/05

SITE ESSENTIALS

A range of essential items for your site, from propping systems to safe work access items.

We also offer multiple safety signage in a variety of materials to suit your needs. Contact our team to find out more.



SITE ESSENTIALS

GRP Trench Bridge

A lightweight bridge with foldable handrails for easy transport and quick assembly.

(Light weight plastic)

Code: 006983

Length: 2000mm

Width: 500mm

Weight: 23kg



Site Stairways System

Stairways offer safe work access for a number of problem situations including civil engineering projects, between floors on RC frame contracts or on motorway and railway embankments. Can be safely connected to together on embankment

Available in 3, 6, 9, 12, 15 and 18 step units.

Code: 006591

3 Tread Stairway

Length: 1030mm

Width: 800mm

Code: 006592

6 Tread Stairway

Length: 1840mm

Width: 800mm

Code: 006593

9 Tread Stairway

Length: 2650mm

Width: 800mm

Code: 006594

12 Tread Stairway

Length: 3460mm

Width: 800mm

Code: 006595

15 Tread Stairway

Length: 4270mm

Width: 800mm

Code: 006596

18 Tread Stairway

Length: 5080mm

Width: 800mm



Signage

We offer multiple standard safety signage in a variety of materials to suit your needs.

From health and safety and warning to compliance and security, we can provide any signs required including bespoke.

The following materials for our signs are available: plastic, correx, foamex, dibond.



Barrier Signage

We can provide bespoke full colour banners to cover your barriers, with finished hems and steel eyelets. Contact our team with your enquiry.



Truck Podiums

A compact and highly portable access solution, ideal for short flatbed trailers and curtain-side bodies. With a 800mm x 800mm platform and stair access from one end. Compliant with BS EN 1004:2004

Code: 006984

5 Step Truck Podium

Code: 006985

4 Step Truck Podium



Fall Protection Airbags

A fall arrest system that can be self-installed in most floor plans.

This H&S approved system is suitable for falls up to 2m. Each bag is 2150 x 750 x 750mm, they easily connect together and each bag inflates in approx. 30 seconds from an electric blower. Two batteries and charger supplied with the blower

Code: 264074

Airbags

Code: 027131

Blower

Code: 264032

Battery

Code: 264033

Charger



SITE ESSENTIALS

3 Man Boot Wash Station

This easy to install unit will effectively clean site boots and footwear, keeping your site buildings clean and safe.

Code: 008083

Lightweight

Code: 008405

Heavy Duty



Drum Spill Pallets

Spills and contamination are a huge risk when storing oil and fuel drums, but our bunded drum pallets provide the ideal, safe way to keep these hazardous liquids on-site.

Our spill pallets are constructed from incredibly durable polyethylene, making them corrosion-resistant and suitable for use with a wide range of chemicals. An integral moulded sump holds up to 240 litres of spilled liquid, complemented by a removable plastic mesh deck that is easy to clean and maintain.



Code: 264087

Two Drum Spill Pallet

Code: 264086

Four Drum Spill Pallet

Edge Protection System

The Edge Protection System has been designed, developed and manufactured in the UK and has a number of unique design features:

- Profiled edges for extra strength
- Integrated toe-boards for in-built safety
- K-Lock active safety lock feature

Dimple 'line up and lock' connection points for quick and easy installation. Sunbelt Rentals' Edge Protection System complies with European conformity standards laid out in BS EN 13374. Incorporates a system of posts and barriers, which can be fitted in a variety of applications including:

- Live edge protection
- Slab edge protection
- Debris guard barrier
- Structural steelwork protection
- Safe site walkway



Gas Cages

A unique, innovative design allows it to fold down in seconds, without removing or detaching any parts.

Benefiting from a fully galvanized heavy-duty construction (to sustain all weather conditions) with no removable parts, the folding gas cage is guaranteed to save you time and space.

Also known as a folding gas compound, this is a secure cage for storing gas cylinders (stores up to 9 x 47kg gas bottles), tools and equipment.

Code: 236001

Small Gas Cage

Code: 236003

Large Gas Cage

Code: 236002

Medium Gas Cage



SITE ESSENTIALS

Acrow Props

The original falsework support system is still the most commonly used and economic method of providing temporary support to a variety of structures. Available in sizes 0 to size 4.

Code: 209101

Size: 0

Size: 1070 - 1820mm

Code: 209102

Size: 1

Size: 1750 - 3120mm

Code: 209103

Size: 2

Size: 1980 - 3350mm

Code: 209104

Size: 3

Size: 2590 - 3950mm

Code: 209105

Size: 4

Size: 3200 - 4870mm



Strongboy

Strongboy masonry support 'locks' on to the top of the Acrow Prop and keeps it level for a more stable and secure operation.

Code: 209106



CRANE ATTACHMENTS

From boat skips and crane skips for easy muck removal, to concrete and cone-flow for those specific requirements, we have everything that suits your needs.

Our boat and crane skips have low sides for easy loading. Our concrete skips come in various sizes with expert advice on hand to make sure you make the right choice.



CRANE ATTACHMENTS

Crane Boat Skip

Boat Skips are perfect for general muck and waste removal and enable the crane operator to discharge the load automatically. These are low level for easy loading.

Minimum hire: 2 week

Code: 036124	Code: 036133
500 Litre Capacity	1500 Litre Capacity
Code: 036129	Code: 036130
1000 Litre Capacity	2000 Litre Capacity



Crane Column Concrete Skip

A Concrete Column Skip allows for storage of concrete and quick and easy discharging, with the use of an attachable tube to the bottom. To be used for pouring concrete into columns and framework that are difficult to access. Ideal for construction sites. Designed to be laid down on its side to be filled from the concrete truck.

Available in 500L and 1000L options, complete with bale arm and 200mm diameter, 3m hose.

Code: 010230	Code: 010245
500 Litre Capacity	1000 Litre Capacity
Code: 010241	Geared
1000 Litre Capacity	



Crane Geared Cone Flow System

The most commonly used skip, the Coneflow Concrete Skip is ideal for big pours or areas where space is not an issue.

Operated by a wheel on the side of the skip so that the machine operator has a good view of the workforce at all times.

This skip is constructed of steel with a reinforced frame making it robust and durable enough for heavy usage.

Coneflow concrete skips are extremely versatile and enable fast and accurate concreting, they can be used in a number of different concrete laying operations such as slabs, formwork cavities, walls, columns and more.

The unique curved shape of the skip allows for better control and easy concrete flow, the angled discharge means that the skip performs well where access is limited. The skip features a laydown facility to make filling easier.

Fitted with lifting handles, the skip can also be lifted by a crane or other lifting equipment.

Code: 010250
1000 Litre Capacity Standard

Code: 010255
1000 Litre Capacity Geared



Tipping Skips

Heavy duty tipping skip can be mounted on fork truck and telehandlers.

Code: 026204
500 Litre Tip Skip

Code: 026210
1200 Litre Tip Skip

Code: 026211
1500 Litre Tip Skip

Code: 026208
1200 Litre Autolock Tele
Tip Skip

Code: 026214
1200 Litre Autolock Tele
Tip Skip with Wheels



Single Leg Drop Chain

Used for lifting materials and equipment by crane.

Code: 034108



GROUNDWORKS

We can provide Trench Boxes, Manhole Boxes and Drag Boxes for all your groundwork needs.

Our team can advise on specific product dimensions, the best configuration(s) for your needs and supply all ancillary products. Drawings and designs can be provided upon request.



GROUNDWORKS

Trench Struts

Available in sizes 0, 1, 2 and 3

Code: 209107
300mm-480mm
Size 0 Strut

Code: 209108
450mm-680mm
Size 1 Strut

Code: 209109
680mm-1060mm
Size 2 Strut

Code: 209110
1060mm-1670mm
Size 3 Strut



Trench Sheets

Available in lengths up to 5m trench sheets are driven into the ground to provide a safer work environment for ground workers. Standard (HD) and Heavy Duty (KKD) sheets available.

Code: 209400
2m Trench Sheet

Code: 209401
2.5m Trench Sheet

Code: 209402
3m Trench Sheet

Code: 209403
3.5m Trench Sheet

Code: 209404
4m Trench Sheet

Code: 209405
4.5m Trench Sheet

Code: 209406
5m Trench Sheet



Driving Cap

Two types of driving cap are available for standard or KKD trench sheets. They greatly reduce damage and assist driving of the sheets through the ground.

Code: 209768
Trench Sheet Driving Cap



Extractors

Our trench sheet extractors are simple to use and make the process of extracting trench sheets as efficient as possible.

Code: 036325
Trench Sheet Extractor



Road Forms Rigid/Flexible

A simple form of shuttering which is normally used for concrete slabs or floors.

Each unit is 3 metres long and can be supplied in various depths from 100 to 300mm to suit the thickness of the slab.

Road Forms can be supplied as flex or standard with 450mm and 600mm stakes and stake extractors also available.

Code: 209201 3000 x 100mm Standard

Code: 209210 3000 x 100mm Flex

Code: 209203 3000 x 150mm Standard

Code: 209212 3000 x 150mm Flex

Code: 209205 3000 x 200mm Standard

Code: 209214 3000 x 200mm Flex

Code: 209207

3000 x 250mm Standard

Code: 209208 3000 x 300mm Standard

Code: 209202 3000 x 125mm Standard

Code: 209204 3000 x 175mm Standard

Code: 209206 3000 x 225mm Standard

Code: 209226 600mm Stake/Pin



Alimats

ALIMATS® is an aluminium load spread solution for cranes and powered access. The interlocking modular mats can be carried and positioned by hand.



GROUNDWORKS

Eze Shoring

Eze Shoring is a composite trench lining system comprising of only five different components. It is lightweight and easy to assemble and there are no pins, clips, slings, pumps or hydraulics.

Code: 209780


Key benefits

- 100% non-conductive for maximum safety
- All parts under 25kg for easy handling
- Adapts to various trench sizes with ease
- Tool-free setup – no pins, clips or hydraulics
- Compact enough to fit in a transit van




A range of products to provide temporary earth retaining support are available through our supplier partnership, subject to terms and conditions.

Trench Box



Manhole Box



Manhole Shuttering



Drag Box



OUR PRIMARY NON-MECHANICAL EQUIPMENT DEPOTS

NON-MECH CENTRAL DESK:

0330 055 3455

NONMECH@SUNBELTRENTALS.CO.UK

GLASGOW

338 Broomloan Road,
Govan G51 2JQ

LIVERPOOL

Dunnings Bridge Road,
Bootle, Liverpool L30 6TA

GATESHEAD

Stoneygate Lane, Felling,
Gateshead NE10 0LX

BIRMINGHAM

202 Kings Road,
Tyseley B11 2AP

NORWICH

Airport Industrial Estate, Anson Road,
Norwich NR6 6ED

CARDIFF

Llandough Trading Est, Penarth Rd,
Cardiff CF11 8TW
02920 708689

LEATHERHEAD

130 Kingston Road,
Leatherhead KT22 7PU

CHESTERFIELD

Sheepbridge Industrial Estate, Carrwood Road,
Chesterfield S41 9AS

EXETER

Hill Barton Business Park,
Mushroom Road, Clyst St Mary,
Exeter EX5 1DR

ROMFORD

King George Close,
Romford RM7 7PN

ABERDEEN

16 St Machar Road, Aberdeen AB24 2UU

BRISTOL

Unit H, Merchant Trade Park, Tamar Road,
Bristol BS2 0TX

CHADDERTON

Jardine Way, Chadderton, Manchester OL9 9QL

HULL

310 Hawthorn Avenue, Hull HU3 5JF

NOTTINGHAM

Lenton Industrial Estate, 10 Bull Close Road,
Nottingham NG7 2UL

WHITEHAVEN

Red Lonning Industrial Estate, Red Lonning,
Hensingham, Whitehaven CA28 6SJ

MAIDSTONE

Burial Ground Lane, Tovil, Maidstone, ME15 6RJ

NATIONWIDE COVERAGE

 Our Primary Non-Mechanical Equipment Depots





Providing rental equipment and managed solutions into every market and sector



Air Quality Control

Advanced systems to capture, clean and control airborne hazards



Heating & Cooling

Climate solutions for comfortable, controlled working conditions



Barriers & Fencing

Secure, adaptable systems for crowd perimeter and threat control



Lighting

High-performance lighting for safe, well-lit environments



Broadcast & Events

LED, video, lighting, sound, rigging & Scenic production



Lifting & Handling

Safe, adaptable equipment for moving loads with precision



Film & TV

Specialist camera, lens, grip and lighting for seamless on-set production support



Low Level Access

Compact access platforms for safe, efficient working at height



Floor Preparation, Cleaning & Maintenance

Advanced equipment for efficient, professional surface care



Ground Protection Mats

Engineered pedestrian and vehicle roadway systems with full site planning support



Plant & Attachments

Extensive plant fleet with specialist attachments for every task



Power Generation

Scalable power systems with clean energy and critical backup



Railway Maintenance

Specialist tools for safe, efficient on-track maintenance operations



Safety, Communications & Security

Integrated site safety, monitoring and communication solutions



Surveying Equipment

Precision instruments for accurate site measurement and layout



Temporary Bridges

Modular bridging systems for safe, rapid pedestrian or vehicle and plant access



MEWPs & Powered Access

Elevated access platforms for safe, efficient working at height



Non-Mech

Site essentials for safety, access and ground preparation



Test & Monitoring

Precision instruments for electrical, environmental and mechanical testing



Tools

High-performance tools for building, landscaping and finishing tasks



Traffic Management

Complete traffic control solutions from survey to installation



Training

Accredited courses delivered by expert trainers nationwide



Utilities & Pipeline

Advanced equipment for civil, gas and water operations



Welfare & Storage

Comfortable welfare units and secure on-site storage options



NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Non-Mech Central Desk:
0330 055 3455
nonmech@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk